

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	27-09-2025 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	27-09-2025 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम / Department Name	Department Of Heavy Industry
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	National Automotive Board
कुल मात्रा / Total Quantity	8
वस्तु श्रेणी / Item Category	Hand Held Brush Cutter (V2) (Q3) , HEDGE TRIMMER or HED CUTTER (Q3) , Lawn Mowers (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certi (Requested in ATC),OEM Authorization Certificate,Additional (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of B specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his el for exemption must be uploaded for evaluation by the buye
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be dis to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन / Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Hand Held Brush Cutter (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	350000
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Reg OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated on through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Required documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer to the Order No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity of any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.

- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Hand Held Brush Cutter (V2) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type of Machine	Line Trimmer with Nylon Feed Head Attachment, Brush Cutter with Cutting Blade/ Circular Saw Attachment,, Tool System with Different Types Of Attachments Such As Nylon Feed Head / Blade/ Circular Saw / Hedge trimmer / Pruner / Leaf Blower Attachments, Multi Tool System with Different Types Of Attachments Such As Nylon Feed Head / Blade/ Circular Saw / Hedge trimmer / Pruner / Leaf Blower / Weeder Attachments
	Power Source	Plug In Type Electric Motor, Battery Powered Electric Petrol Engine
	Speed control	Variable Speed, Fixed Speed
	Transmission	Centrifugal Clutch, Low Vibration Centrifugal Clutch
PRIME MOVER with PLUG IN TYPE ELECTRIC MOTOR	Power Rating (Watt)	300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, NA
	Cable Length (Maximum extension cord length) inclusive in the scope of supply	0, 10, 15, 20, 25, 30, 35, 50 (meter)
PRIME MOVER with PETROL ENGINE	Engine Compliant to latest CPCB norms	Yes, No, NA
PRIME MOVER with BATTERY POWRED ELECTRIC MOTOR	Battery Chemistry	Li-Ion, Ni-MH, NiCd, SMF Lead Acid Battery, VRLA Battery, LiFePO4, NA
	Voltage of each Battery (Volt)	12, 18, 24, 36, 40, 48, 56, 58, NA
	Number of Batteries required for operation	1, 2, 3, 4, NA
	Number of Batteries supplied (Inclusive in the Scope of Supply)	0, 1, 2, 3, 4
	Battery Run Time	0, 45, 60, 75, 90, 105, 120, 135, 150, 165, 190, 195, 225, 240, 255, 270, 285, 300, 315, 330, 345, 360 (minute)
	Battery Charger inclusive in the scope of supply	Yes, No, NA
SHAFT DIMENSIONS	Shaft Material	Aluminium, Electro Plated Steel, Stainless Steel, Plastic
	Shaft Type	Straight Shaft, Angled / Bent Shaft, Flexible Shaft

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Shaft Length (mm)	700 to 724, 725 to 749, 750 to 774, 775 to 779, 800 to 824, 825 to 849, 850 to 874, 875 to 899, 900 to 924, 925 to 949, 950 to 974, 975 to 999, 1000 to 1024, 1025 to 1049, 1050 to 1074, 1075 to 1099, 1100 to 1124, 1125 to 1149, 1150 to 1174, 1175 to 1199, 1200 to 1224, 1225 to 1249, 1250 to 1274, 1275 to 1299, 1300 to 1324, 1325 to 1349, 1350 to 1374, 1375 to 1399, 1400 to 1424, 1425 to 1449, 1450 to 1474, 1475 to 1499, 1500 to 1524, 1525 to 1549, 1550 to 1574, 1575 to 1599, 1600 to 1624, 1625 to 1649, 1650 to 1674, 1675 to 1699, 1700 to 1724, 1725 to 1749, 1750 to 1774, 1775 to 1799, 1800 to 1824, 1825 to 1849, 1850 to 1874, 1875 to 1899, 1900 to 1924, 1925 to 1949, 1950 to 1974, 1975 to 1999, 2000 to 2024, 2025 to 2049
GENERIC	Tool-free changing of the attachments	Yes, No
	Castor Wheels provided to the feed head	Yes, No
	Handle Type	D - Loop, Two D- Loops for both hands, Loop and bar, Style
	Type of Harness inclusive in the scope of supply	Single Shoulder Strap, Double shoulder Strap, Backpack Harness, No Harness
PERFORMANCE	Cut Width / Diameter (Maximum) in mm	110 to 124, 125 to 149, 150 to 174, 175 to 199, 200 to 224, 225 to 249, 250 to 274, 275 to 299, 300 to 324, 325 to 349, 350 to 374, 375 to 399, 400 to 424, 425 to 449, 450 to 474, 475 to 499, 500 to 524, 525 to 549, 550 to 574, 575 to 599, 600 to 624, 625 to 649, 650 to 674, 675 to 699, 700 to 724, 725 to 749, 750 to 774, 775 to 799, 800 to 824
NYLON FEED HEAD ATTACHMENT	Nylon feed head attachment inclusive in the scope of supply	Yes, No, NA
	Feed head of Line Trimmer	Bump / Tap & go Type, NA
	Number of Lines	Single, Double, NA
	Line (Monofilament / Nylon) inclusive in the scope of supply	Yes, No, NA
	"If 'Yes', Length of the Line Provided in the Spool	0, 6, 10, 20, 30, 4.5 (meter)
	Line Diameter (May indicate '0'if Not Applicable)	0, 2, 2.5, 3, 3.5 (millimeter)
	Line Feed	Manual, Automatic, NA
	Blade Cutter attachment inclusive in the scope of supply	Yes, No, NA
	Blade Material	High Carbon Steel, Hardened Steel, Plastic, NA
	Blade Type	2 teeth blade, 3 tooth blade, 4 tooth blade, 8 teeth blade, Circular saw, NA
	Number of 2 teeth Blades inclusive in the scope of supply	0, 1, 2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of 3 teeth Blades inclusive in the scope of supply	0, 1, 2
	Number of 4 teeth Blades inclusive in the scope of supply	0, 1, 2
	Number of 8 teeth Blades inclusive in the scope of supply	0, 1, 2
	Circular Saw attachment inclusive in the scope of supply	Yes, No, NA
	Number of Circular Saw Blades inclusive in the scope of supply	0, 1, 2
	Circular Saw Material	Tungsten Carbide Steel, High Carbon Steel, NA
	Diameter of the Circular Saw (mm)	200, 225, 250, 275, 300, 350, 400, NA
	Number of Teeth in Circular Saw	0, 22, 30, 40, 60, 80, 100, 120
	Feed head of Blade Cutter / Circular Saw attachment	Bump Type / Tap & go Type, NA
	Other Accessories inclusive in the scope of supply	Debris guard, Protection glasses, Face shield, Extension Shaft -Short (500 to 530 mm), Extension Shaft -long (1000 mm), Ear Mufflers
HEDGE TRIMMER ATTACHMENT	Hedge Trimmer attachment inclusive in the scope of supply	Yes, No, NA
	Cutting action	Single action, Double action, NA
	Length of Hedge Trimmer Blade (mm)	200 to 230, 250 to 280, 300 to 330, 350 to 380, 400 to 430, 450 to 480, 500 to 530, 550 to 580, 600 to 630, to 680, 700 to 730, 750 to 780, 800 to 830, NA
	Hedge Trimmer attachment adjustment angle (Max) (degree)	45, 90, 180, NA
PRUNER / CHAIN SAW ATTACHMENT	Pruner (Chain Saw) attachment inclusive in the scope of supply	Yes, No, NA
	Length of Pruner (Chain Saw) (mm)	200 to 230, 250 to 280, 300 to 330, 350 to 380, 400 to 430, 450 to 480, 500 to 530, 550 to 580, 600 to 630, to 680, 700 to 730, 750 to 780, 800 to 830, NA
LEAF BLOWER ATTACHMENT	Leaf Blower attachment inclusive in the scope of supply	Yes, No, NA
WEEDER ATTACHMENT	Weeder attachment inclusive in the scope of supply	Yes, No, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
WARRANTY	Warranty on Equipment	1, 2, 3, 4, 5 (year)
	Warranty on Prime Mover	0, 1, 2, 3, 4, 5 (year)
	Warranty on Battery	0, 1, 2, 3, 4, 5 (year)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	3	45

HEDGE TRIMMER Or HEDGE CUTTER (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Prime Mover Type	Plug-in type Electric motor, Battery Powered Electric Petrol Engine
	Speed control	Fixed Speed, Variable Speed
CUTTER or TRIMMER BLADE	Blade Length (mm)	75 to 99, 100 to 124, 125 to 149, 150 to 174, 175 to 200 to 224, 225 to 249, 250 to 274, 275 to 299, 300 to 324, 325 to 349, 350 to 374, 375 to 399, 400 to 424, 425 to 449, 450 to 474, 475 to 499, 500 to 524, 525 to 549, 550 to 574, 575 to 599, 600 to 624, 625 to 649, 650 to 674, 675 to 699, 700 to 724, 725 to 749, 750 to 774, 775 to 799, 800 to 824, 825 to 849, 850 to 874, 875 to 899, 900 to 924, 925 to 949, 950 to 974, 975 to 999, 1000 to 1024, 1025 to 1049, 1050 to 1099, 1100 to 1149, 1150 to 1199, 1200 to 1249, 1250 to 1299, 1300 to 1349, 1350 to 1399, 1400 to 1449
	Tooth opening (Pitch)	8, 10, 12, 15, 16, 20, 24, 26, 28, 30, 32, 34, 36 (millimeter)
	Cutting action	Single action, Double action
	Number of Blades inclusive in the scope of supply	1, 2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PRIME MOVER	Prime Mover Power Rating (Watt)	300 to 349, 350 to 399, 400 to 449, 450 to 499, 500 to 549, 550 to 599, 600 to 649, 650 to 699, 700 to 749, 750 to 799, 800 to 849, 850 to 899, 900 to 949, 950 to 999, 1000 to 1049, 1050 to 1099, 1100 to 1149, 1150 to 1199, 1200 to 1249, 1250 to 1299
	Prime Mover Compliant to latest CPCB norms	Yes for Petrol Engine, NA for Electric Motor
POWER SOURCE / BATTERY	Power Source	Rechargeable Battery, Mains (230 ±10 Volts / 50 Hz), NA for Petrol Engine
	Battery Chemistry	Li-Ion, Ni-MH, Ni-cd, NA
	Number of Batteries supplied (Inclusive in the Scope of Supply)	0, 1, 2, 4
	Battery Run Time	0, 45, 60, 65, 75, 90, 100, 105, 120, 130, 135, 150, 180 (minute)
	Battery Charger inclusive in the scope of supply	Yes, No
GENERIC	Handle Type	Two D- Loops for both hands, Two D- Loops for both hands with multi position front handle
	Handle adjustment angle	0, 45, 90, 180, 270 (degree)
	Cable Length (Maximum extension cord length) inclusive in the scope of supply	0, 3, 5, 6, 8, 10, 15, 20, 30, 40, 50 (meter)
	Other Accessories inclusive in the scope of supply	Hand guard, Protection glasses, Face shield, Ear Muff, Blade Cover
WARRANTY	Warranty on Equipment	1, 2, 3, 4, 5 (year)
	Warranty on Prime Mover	1, 2, 3, 4, 5 (year)
	Warranty on Battery	0, 1, 2, 3 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery
1	Girish Chander	122051, INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

Lawn Mowers (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type of Machine	Walk behind Lawn Mowers, Ride-on Lawn Mowers, Str Lawn Mowers
	Power Source	Manual Push, Plug-in type Electric motor, Battery Pow Electric motor, Diesel Engine, Petrol Engine
	Start Type	NA for Manual Push, Key Start, Recoil / Pull Start, Pus button Start
	Speed control	Manual, Variable Speed, Variable Hydrostatic Control Single Speed, Two Speed, Three Speed
	Drive Type	All Wheel Drive, Front Wheel Drive, Rear Wheel Drive
	Blade style	Rotary Type, Cylinder or Reel Type
	Blade Engagement	Mechanical, Electromagnetic
	Deck Material	Cast Aluminium, Stamped / Pressed Steel, ABS, Comp Polymer, Aluminium Skeleton with Polymer Cover & Underdeck
PERFORMANCE	Cut Width (mm)	300 to 324, 325 to 349, 350 to 374, 375 to 399, 400 to 424, 425 to 449, 450 to 474, 475 to 499, 500 to 524, 525 to 549, 550 to 574, 575 to 599, 600 to 624, 625 to 649, 650 to 674, 675 to 699, 700 to 724, 725 to 749, 750 to 774, 775 to 799, 800 to 824, 825 to 849, 850 to 874, 875 to 899, 900 to 924, 925 to 949, 950 to 974, 975 to 999, 1000 to 1024, 1025 to 1049, 1050 to 1074, 1075 to 1099, 1100 to 1124, 1125 to 1149, 1150 to 1174, 1175 to 1199, 1200 to 1224
WHEELS	Number of Wheels	2, 4
	Wheel Tyres	Pneumatic, Plastic, Rubberized
GENERIC	Grass Catcher / Collector / Bag inclusive in the scope of supply	Yes, No
	If yes, Grass Catcher / Collector / Bag Volume	0 - 400 (liter)
	Grass Bag dumping	Manual, Electric, NA
	Mulching Kit inclusive in the scope of supply	Yes, No
	Power Steering	Yes, No
	Handle Foldable easily for compact storage	Yes, No
	Cable Length (Maximum extension cord length) inclusive in the scope of supply	0, 10, 15, 20, 25, 30, 35, 50 (meter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Other Features	Safety Start Button, Cable Strain-Relief / Guide, Deck Port, Safety Switch, Motor Brake, Carry Handle, OPC (Operator Presence Control), Tow Bar, Fuel Gauge, Head Lights, Grassbag Full Indicator, Hour Meter, Cast Iron Axle, Front Bumper, Anti-Scalp Deck Wheels, Foldable Operator Platform
ENGINE	"Engine Power Rating (Watt)"	1000 to 1099, 1100 to 1199, 1200 to 1299, 1300 to 1399, 1400 to 1499, 1500 to 1599, 1600 to 1699, 1700 to 1799, 1800 to 1899, 1900 to 2000, 2000 to 2999, 3000 to 3999, 4000 to 4999, 5000 to 5999, 6000 to 6999, 7000 to 7999, 8000 to 8999, 9000 to 9999, 10000 to 10999, 11000 to 11999, 12000 to 12999, 13000 to 13999, 14000 to 14999, 15000 to 15999, NA
	"Engine Compliant to latest CPCB norms (May Indicate 'NA' if Not Applicable)"	Yes, No, NA
	"Forward Gears"	0, 1, 2, 3, 4, 5
	"Reverse Gears"	Yes, No
	"Turning Radius (cm)"	Zero Turn, 0 to 49, 50 to 99, 100 to 149, 150 to 199, 200 to 249, NA
BATTERY	Battery Chemistry	Li-Ion, Ni-MH, Cylinder or Reel Type, SMF Lead Acid B VRLA Battery, NA
	Availability of Test Report for Battery as per conforming specification	Yes, No
	"Number of Batteries supplied (Inclusive in the Scope of Supply)"	0, 1, 2, 3, 4
	"Battery Run Time"	0, 45, 60, 75, 90, 105, 120, 135, 150, 165, 180 Or higher (minute)
	"Battery Charger inclusive in the scope of supply"	Yes, NA
WARRANTY	Warranty on Equipment	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher (year)
	"Warranty on Prime Mover"	0, 1, 2, 3, 4, 5 Or higher (year)
	"Warranty on Battery"	0, 1, 2, 3, 4, 5 Or higher (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery
--------------	---	-------------	------------------	-------------------------

क्र.सं./S.No	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT- Manesar, Gurgaon 122050	2	45

Hand Held Brush Cutter (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
TYPE	Type of Machine	Line Trimmer with Nylon Feed Head Attachment, Brush Cutter with Cutting Blade/ Circular Saw Attachment,, Tool System with Different Types Of Attachments Such As Nylon Feed Head / Blade/ Circular Saw / Hedge trimmer / Pruner / Leaf Blower Attachments, Multi Tool System with Different Types Of Attachments Such As Nylon Feed Head / Blade/ Circular Saw / Hedge trimmer / Pruner / Leaf Blower / Weeder Attachments
	Power Source	Plug In Type Electric Motor, Battery Powered Electric Petrol Engine
	Speed control	Variable Speed, Fixed Speed
	Transmission	Centrifugal Clutch, Low Vibration Centrifugal Clutch
PRIME MOVER with PLUG IN TYPE ELECTRIC MOTOR	Power Rating (Watt)	300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, NA
	Cable Length (Maximum extension cord length) inclusive in the scope of supply	0, 10, 15, 20, 25, 30, 35, 50 (meter)
PRIME MOVER with PETROL ENGINE	Engine Compliant to latest CPCB norms	Yes, No, NA
PRIME MOVER with BATTERY POWRED ELECTRIC MOTOR	Battery Chemistry	Li-Ion, Ni-MH, NiCd, SMF Lead Acid Battery, VRLA Battery, LiFePO4, NA
	Voltage of each Battery (Volt)	12, 18, 24, 36, 40, 48, 56, 58, NA
	Number of Batteries required for operation	1, 2, 3, 4, NA
	Number of Batteries supplied (Inclusive in the Scope of Supply)	0, 1, 2, 3, 4
	Battery Run Time	0, 45, 60, 75, 90, 105, 120, 135, 150, 165, 190, 195, 225, 240, 255, 270, 285, 300, 315, 330, 345, 360 (minute)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Battery Charger inclusive in the scope of supply	Yes, No, NA
SHAFT DIMENSIONS	Shaft Material	Aluminium, Electro Plated Steel, Stainless Steel, Plastic
	Shaft Type	Straight Shaft, Angled / Bent Shaft, Flexible Shaft
	Shaft Length (mm)	700 to 724, 725 to 749, 750 to 774, 775 to 779, 800 to 824, 825 to 849, 850 to 874, 875 to 899, 900 to 924, 925 to 949, 950 to 974, 975 to 999, 1000 to 1024, 1025 to 1049, 1050 to 1074, 1075 to 1099, 1100 to 1124, 1125 to 1149, 1150 to 1174, 1175 to 1199, 1200 to 1224, 1225 to 1249, 1250 to 1274, 1275 to 1299, 1300 to 1324, 1325 to 1349, 1350 to 1374, 1375 to 1399, 1400 to 1424, 1425 to 1449, 1450 to 1474, 1475 to 1499, 1500 to 1524, 1525 to 1549, 1550 to 1574, 1575 to 1599, 1600 to 1624, 1625 to 1649, 1650 to 1674, 1675 to 1699, 1700 to 1724, 1725 to 1749, 1750 to 1774, 1775 to 1799, 1800 to 1824, 1825 to 1849, 1850 to 1874, 1875 to 1899, 1900 to 1924, 1925 to 1949, 1950 to 1974, 1975 to 1999, 2000 to 2024, 2025 to 2049
GENERIC	Tool-free changing of the attachments	Yes, No
	Castor Wheels provided to the feed head	Yes, No
	Handle Type	D - Loop, Two D- Loops for both hands, Loop and bar, Style
	Type of Harness inclusive in the scope of supply	Single Shoulder Strap, Double shoulder Strap, Backpack Harness, No Harness
PERFORMANCE	Cut Width / Diameter (Maximum) in mm	110 to 124, 125 to 149, 150 to 174, 175 to 199, 200 to 224, 225 to 249, 250 to 274, 275 to 299, 300 to 324, 325 to 349, 350 to 374, 375 to 399, 400 to 424, 425 to 449, 450 to 474, 475 to 499, 500 to 524, 525 to 549, 550 to 574, 575 to 599, 600 to 624, 625 to 649, 650 to 674, 675 to 699, 700 to 724, 725 to 749, 750 to 774, 775 to 799, 800 to 824
NYLON FEED HEAD ATTACHMENT	Nylon feed head attachment inclusive in the scope of supply	Yes, No, NA
	Feed head of Line Trimmer	Bump / Tap & go Type, NA
	Number of Lines	Single, Double, NA
	Line (Monofilament / Nylon) inclusive in the scope of supply	Yes, No, NA
	"If 'Yes', Length of the Line Provided in the Spool	0, 6, 10, 20, 30, 4.5 (meter)
	Line Diameter (May indicate '0' if Not Applicable)	0, 2, 2.5, 3, 3.5 (millimeter)
	Line Feed	Manual, Automatic, NA
	Blade Cutter attachment inclusive in the scope of supply	Yes, No, NA
	Blade Material	High Carbon Steel, Hardened Steel, Plastic, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Blade Type	2 teeth blade, 3 tooth blade, 4 tooth blade, 8 teeth blade, Circular saw, NA
	Number of 2 teeth Blades inclusive in the scope of supply	0, 1, 2
	Number of 3 teeth Blades inclusive in the scope of supply	0, 1, 2
	Number of 4 teeth Blades inclusive in the scope of supply	0, 1, 2
	Number of 8 teeth Blades inclusive in the scope of supply	0, 1, 2
	Circular Saw attachment inclusive in the scope of supply	Yes, No, NA
	Number of Circular Saw Blades inclusive in the scope of supply	0, 1, 2
	Circular Saw Material	Tungsten Carbide Steel, High Carbon Steel, NA
	Diameter of the Circular Saw (mm)	200, 225, 250, 275, 300, 350, 400, NA
	Number of Teeth in Circular Saw	0, 22, 30, 40, 60, 80, 100, 120
	Feed head of Blade Cutter / Circular Saw attachment	Bump Type / Tap & go Type, NA
	Other Accessories inclusive in the scope of supply	Debris guard, Protection glasses, Face shield, Extension Shaft -Short (500 to 530 mm), Extension Shaft -long (530 to 1000 mm), Ear Mufflers
HEDGE TRIMMER ATTACHMENT	Hedge Trimmer attachment inclusive in the scope of supply	Yes, No, NA
	Cutting action	Single action, Double action, NA
	Length of Hedge Trimmer Blade (mm)	200 to 230, 250 to 280, 300 to 330, 350 to 380, 400 to 430, 450 to 480, 500 to 530, 550 to 580, 600 to 630, 650 to 680, 700 to 730, 750 to 780, 800 to 830, NA
	Hedge Trimmer attachment adjustment angle (Max) (degree)	45, 90, 180, NA
PRUNER / CHAIN SAW ATTACHMENT	Pruner (Chain Saw) attachment inclusive in the scope of supply	Yes, No, NA
	Length of Pruner (Chain Saw) (mm)	200 to 230, 250 to 280, 300 to 330, 350 to 380, 400 to 430, 450 to 480, 500 to 530, 550 to 580, 600 to 630, 650 to 680, 700 to 730, 750 to 780, 800 to 830, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
LEAF BLOWER ATTACHMENT	Leaf Blower attachment inclusive in the scope of supply	Yes, No, NA
WEEDER ATTACHMENT	Weeder attachment inclusive in the scope of supply	Yes, No, NA
WARRANTY	Warranty on Equipment	1, 2, 3, 4, 5 (year)
	Warranty on Prime Mover	0, 1, 2, 3, 4, 5 (year)
	Warranty on Battery	0, 1, 2, 3, 4, 5 (year)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rate. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration beyond the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

अंतर्राष्ट्रीय ऑटोमोटिव प्रौद्योगिकी केंद्र

International Centre for Automotive Technology (ICAT)

Division of National Automotive Board (NAB), Ministry of Heavy Industries, Govt. of India
Plot No.-26, Sector-3, HSIIDC, IMT Manesar, Gurgaon-122050, Haryana (India)

**Supply of Horticulture equipment (Brush Cutter, Lawn Mover, Hedge Trimmer, Chain Saw) at ICAI
re-II Manesar Gurugram (HR)**

Sr. No	Item Title	Make/Model	Quantity (Nos)	Quoted make to be mentioned by bidders	Bidder's Remark (if any)	Delivery time (In number of days)
1.	Petrol operated heavy brush cutter		03			Within 15 days
<u>Other Specifications of Petrol operated Brush cutter</u> Power Source:- Petrol Engine:- >= 2 Stroke, >= 2HP & >=40CC Runtime:- Continuous run time at least >=30 min Build: Heavy Duty for tough conditions Cutting: Multipurpose for cutting of Grass, thick weeds and dense bushes Weight:- <= 10 Kg Handlebar Tape Bike Handle Attachments Metal blade & Nylon line Trimmer head Gearbox Heavy-duty, durable material						
2.	Diesel Lawn Mover		02			Within 15 days
<u>Other Specifications of Diesel Lawn Mover</u> Power Source:- Diesel Engine:- >= 2 Stroke, >= 4HP Runtime:- Continuous run time at least >=30 min Build: Heavy Duty for tough conditions Cutting width:24 Inches Cutting: Adjustable cutting height						
3.	Petrol operated Hedge Trimmer		02			Within 15 days
<u>Other Specifications of Petrol operated Hedge Trimmer</u> Power Source:- Petrol Engine:- >= 2 Stroke, >= 1HP Runtime:- Continuous run time at least >=30 min Build: Heavy Duty for tough conditions Cutting width: 24 Inches Weight- <= 7 Kg						
4.	Petrol operated Chain S aw		01			Within 15 days
<u>Other Specifications of Petrol operated Chain Saw</u> Power Source:- Petrol Engine:- >= 2HP Build: Heavy Duty Cutting width:>=16 Inches, Cutting:- Suitable for cutting thick trunks						

Annexure - III

Additional Terms & Conditions (ATC)

- Note: Please mention complete technical specifications & catalogue of offered item as mentioned in “Annexure-II” & submit duly stamped & signed on your company letter head.
- **Bidders are required to submit the duly stamped & signed copy of this complete ATC towards acceptance to fulfil the complete technical specification & compliance of this ATC.**
- It is a mandatory requirement for bidders to submit comprehensive proposals covering all items specified in the tender document. Any bidder who submits an incomplete proposal, including but not limited to failure to provide details of any item or part thereof, shall be considered non-compliant with the tender specifications. Such incomplete proposals shall be rejected and automatically disqualified from further evaluation. Bidders are required to ensure their proposal includes valid offers for all items as detailed in the tender documents. Non-compliance with this condition shall result in the outright rejection of the bid.
- ICAT will not accept any deviation on specification mentioned in Annexure-II. If ICAT finds any deviation from technical specifications, it may lead to disqualification of the bid. Therefore, we request all bidders to quote in accordance with “Annexure-II”. If the bidder fails to meet our specifications mentioned in “Annexure-II” requirements, we will immediately terminate or cancel his participation in the tender. Further, in case the successful bidder provides an item which is not in line with our tech specs/brand, the material will be rejected.
- Along with the bid documents, please submit product catalogue (as applicable) for evaluation purpose. This acceptance means that you agree to provide the products as per our specification.
- Bidders are requested to quote for full quantity of items, which need to be supply in one go means no partial quantity is acceptable.
- Freight Charges, Transportation, Loading & unloading of material at ICAT centre 2 site is in the scope of supply.
- Bidders must quote their make/brand, quality, quantity & any remark (if any) must mention in the “Annexure-II”.
- Bidders should not have been blacklisted by any departments or ministries of the government of India or state government, PSU, or any reputable private firm or institution in India. A declaration on bidder’s letter head must be submitted to this effect with the tender document.
- **Declaration regarding Make in India on bidder’s letter head, must be submitted along with the bid.**
- **Declaration regarding compliance of Rule 144 (xi) of GFR 2017 on bidder’s letter head, must be submitted along with the bid.**
- Declaration In Respect of Conflict of Interest on bidder’s letter head, must be submitted along with the bid.
- Undertaking regarding carefully gone through the scope of work, job requirement, terms and conditions given in the tender documents & have clearly understood the terms and conditions of the tender, must be submitted along with the bid, on bidder’s letter head.
- Subcontracting is not allowed. Undertaking in this regard must be submitted on bidder’s letter head.
- **Bidders to Comply with:**
 - Rule 144(xi) of GFR 2017 regarding restrictions on procurement from a bidder of a country that shares a land border with India will be liable to rejection (refer to the Office Memorandum of the Department of Expenditure dated July 23, 2020, and as revised from time to time at <https://doe.gov.in/sites/default/files/OM%20dated%202020.pdf>).
 - Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 revised from time to time regarding bidders eligibility and preference to make in India <https://dpiit.gov.in/sites/default/files/PPP%20MII%20Order%20dated%204th%20June%202020.pdf>).

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process: these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category being bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid terms as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference section of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this they can raise their representation against the same by using the Representation window provided in the bid details Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take such actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकार पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Res procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this shall be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---