

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-03-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-03-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	National Automotive Board
कार्यालय का नाम/Office Name	National Automotive Board Manesar
कुल मात्रा/Total Quantity	1241
वस्तु श्रेणी /Item Category	PVC Electrical Wiring Conduit Pipe Size 1 , PVC Conduit Bend Size 1 , PVC 4 Way Junction Box Size 1 , PVC Electrical Insulation Tape Multicolor Red Yellow Blue Black Green , 2 Pole MCB Enclosure MS Box , PVC Insulated Copper Flexible WireSize 1.5 Sqmm Red Colour , PVC Insulated Copper Flexible WireSize 1.5 Sqmm Black Colour , PVC Insulated Copper Flexible WireSize 1.5 Sqmm Green Colour , PVC Insulated Copper Flexible WireSize 2.5Sqmm Red Colour , PVC Insulated Copper Flexible WireSize 2.5Sqmm Black Colour , PVC Insulated Copper Flexible WireSize 2.5Sqmm Green Colour , PVC Insulated Copper Flexible CableSize 3 Core x 2.5 Sqmm , Nylon Heavy Duty Cable Tie 200 mm , Double Pole MCBC Series 20A DP , Single Module 6A Switch , Single Module 16A Switch , Double Module 3 Pin 6A Socket , Double Module 3 Pin 16A Socket , MS Heavy Duty Concealed 4 Modular Box , PVC 4 Module Plate , MS Heavy Duty Concealed 3 Modular Box , PVC 3 Module Plate , MS Heavy Duty Concealed 6 Modular Box , PVC 6 Module Plate , PVC Exhaust Ventilation Fan Wall Mounted Window Mounted 230 V ACV 50 Hz Power Rating Range 35 W 60 W along with back shutter Size 12 , LED Down Light Round Shape18 20 WattInner Cut Out Size 6.5 Outer Cut Out Size 7.5 230 V 50Hz Warranty 2 Years , LED Ceiling LightSize 2 X 2 600mm x 600mm 36 45 Watt 230 V 50 Hz Warranty 2 Years Colour Cold White , Single Phase Wall Mounting Fan 230 V AC 50 Hz Size 400 mm Power Rating 53 W 58 W 90 horizontal oscillation via pull cord mechanism 3 speed pull cord switch Low Medium High

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

PVC Electrical Wiring Conduit Pipe Size 1, PVC Conduit Bend Size 1, PVC 4 Way Junction Box Size 1, PVC Electrical Insulation Tape Multicolor Red Yellow Blue Black Green, 2 Pole MCB Enclosure MS Box , PVC Insulated Copper Flexible WireSize 15 Sqmm Red Colour, PVC Insulated Copper Flexible WireSize 15 Sqmm Black Colour, PVC Insulated Copper Flexible WireSize 15 Sqmm Green Colour, PVC Insulated Copper Flexible WireSize 25Sqmm Red Colour, PVC Insulated Copper Flexible WireSize 25Sqmm Black Colour, PVC Insulated Copper Flexible WireSize 25Sqmm Green Colour, PVC Insulated Copper Flexible CableSize 3 Core x 25 Sqmm, Nylon Heavy Duty Cable Tie 200 mm, Double Pole MCBC Series 20A DP, Single Module 6A Switch, Single Module 16A Switch, Double Module 3 Pin 6A Socket , Double Module 3 Pin 16A Socket , MS Heavy Duty Concealed 4 Modular Box , PVC 4 Module Plate , MS Heavy Duty Concealed 3 Modular Box , PVC 3 Module Plate, MS Heavy Duty Concealed 6 Modular Box , PVC 6 Module Plate , PVC Exhaust Ventilation Fan Wall Mounted , LED Down Light Round Shape18 20 WattInner Cut Out Size 65, LED Ceiling Light, Single Phase Wall Mounting Fan 230 V AC 50 Hz

**Searched String:** PVC Electrical Wiring Conduit Pipe Size 1

Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), CPVC Industrial Pipe Fittings, Schedule 80, shoes school pvc boys girls, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, HT Tape, CPVC Industrial Pipe, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, Commercial UPVC Fittings

**Searched String:** PVC Conduit Bend Size 1

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Nitrile Coated/Nitrile Hand Gloves (V2), PVC Coated Nylon Fabric for Awning and Gun Covers, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), HT Tape, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Cotton Towelling And Towels (V3) Conforming To IS 7056

**Searched String:** PVC 4 Way Junction Box Size 1

Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), File/Folder (V3), Metal Pallet as per IS 4923:1997, IS 4300:1967, IS 7276:1979, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cattle Dung Manure, Electrical Extension Box (V4), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, shoes school pvc boys girls, PVC Insulated

बिड विवरण / Bid Details

Copper Cable Single Core and Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694, PVC

COATED CANOPY TENT STRUCTURE

**Searched String:** PVC Electrical Insulation Tape Multicolor Red Yellow Blue Black Green

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** 2 Pole MCB Enclosure MS Box

modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** PVC Insulated Copper Flexible WireSize 15 Sqmm Red Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Insulated Copper Flexible WireSize 15 Sqmm Black Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Insulated Copper Flexible WireSize 15 Sqmm Green Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

बिड विवरण / Bid Details  
**Searched String:** PVC Insulated Copper Flexible WireSize 25Sqmm Red Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Insulated Copper Flexible WireSize 25Sqmm Black Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Insulated Copper Flexible WireSize 25Sqmm Green Colour

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Insulated Copper Flexible CableSize 3 Core x 25 Sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To

**GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS**

विड विवरण / Bid Details IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** Nylon Heavy Duty Cable Tie 200 mm  
Nylon cable Tie, Cable Tie (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), Welding Cable ISI Marked To IS 9857 (V2), Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Heavy Duty Pipe Wrench as per IS 4003, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Cross Laminated Thermoplastic Fumigation (CLTF) Covers

**Searched String:** Double Pole MCBC Series 20A DP  
Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028

**Searched String:** Single Module 6A Switch  
Single switch IGBT Module, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Single use Rubber Examination Gloves (V2), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, mugs stainless steel single double walled with double wall moulded handle, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Computer Monitor (V2), Digital Earth Resistance Meter

**Searched String:** Single Module 16A Switch  
Single switch IGBT Module, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, mugs stainless steel single double walled with double wall moulded handle, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Computer Monitor (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Earth Resistance Meter, Switch Mode Power Supply (SMPS) as per IS 14886:, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)

**Searched String:** Double Module 3 Pin 6A Socket  
Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Plugs (V2) ISI Marked to IS 1293, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Flameproof Switch Socket, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3)

**Searched String:** Double Module 3 Pin 16A Socket  
Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Electrical Plugs (V2) ISI Marked to IS 1293, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3)

बिड विवरण/Bid Details **Searched String:** MS Heavy Duty Concealed 4 Modular Box

Corrugated Fibreboard Boxes - Heavy Duty, trolleys or accessories, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Pressure Calibrator, Heavy Duty Storage Racks, modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** PVC 4 Module Plate

Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, non metallic nameplates, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, shoes school pvc boys girls, Non-Locking Bone Plate, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** MS Heavy Duty Concealed 3 Modular Box

Corrugated Fibreboard Boxes - Heavy Duty, Heavy Duty Storage Racks, trolleys or accessories, Pressure Calibrator, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592

**Searched String:** PVC 3 Module Plate

Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, non metallic nameplates, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Locking Compression Plates (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls

**Searched String:** MS Heavy Duty Concealed 6 Modular Box

Corrugated Fibreboard Boxes - Heavy Duty, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), trolleys or accessories, Pressure Calibrator, Polymetric Boxes

**Searched String:** PVC 6 Module Plate

CAT 6 Information outlet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Sheet (V2), PVC Insulated

विड विवरण / Bid Details	<p>Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, non metallic nameplates, shoes school pvc boys girls,</p>
	<p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> PVC Exhaust Ventilation Fan Wall Mounted</p> <p>Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Air Circulator Type Electric Fan as per IS 2997</p> <p><b>Searched String:</b> LED Down Light Round Shape 18 20 Watt Inner Cut Out Size 65</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> LED Ceiling Light</p> <p>LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Ceiling OT Light (V2), LED Batten Light (LED Tube Light) (V2), Laboratory Incubators, LED Flash Light, Muffle Furnace, LED Bulkhead Light, LED Garden Light (V2), LED Luminaire for High Bay Lighting</p> <p><b>Searched String:</b> Single Phase Wall Mounting Fan 230 V AC 50 Hz</p> <p>Digital pH Meter, Reciprocating Saw, Shaping Machine, DC Regulated Power Supply As Per MHA QRs</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• PVC Wiring Channel With Cover - BHEL</li> </ul>
<p>बीओक्यू शीर्षक / <b>BOQ Title</b></p>	<p>Supply electrical materials and installation for Refurbishment of 3 nos washroom of CTL and OHS Room</p>
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/<b>Years of Past Experience Required for same/similar service</b></p>	<p>1 Year (s)</p>
<p>वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / <b>MSE Relaxation for Years Of Experience and Turnover</b></p>	<p>Yes   Complete</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b></p>	<p>Yes   Complete</p>
<p>विक्रेता से मांगे गए दस्तावेज़/<b>Document required from seller</b></p>	<p>Experience Criteria, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

**बिड विवरण/Bid Details**

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	PVC Electrical Wiring Conduit Pipe Size 1
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	187000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents

submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Breakup - [1771065235.xlsx](#)

### PVC Electrical Wiring Conduit Pipe Size 1

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	60	60

### PVC Conduit Bend Size 1

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	24	60

### PVC 4 Way Junction Box Size 1

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	15	60

### PVC Electrical Insulation Tape Multicolor Red Yellow Blue Black Green

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	60	60

## 2 Pole MCB Enclosure MS Box

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	60

## PVC Insulated Copper Flexible WireSize 1.5 Sqmm Red Colour

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	180	60

### PVC Insulated Copper Flexible WireSize 1.5 Sqmm Black Colour

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	180	60

### PVC Insulated Copper Flexible WireSize 1.5 Sqmm Green Colour

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	180	60

### PVC Insulated Copper Flexible WireSize 2.5Sqmm Red Colour

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	90	60

### PVC Insulated Copper Flexible WireSize 2.5Sqmm Black Colour

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	90	60

### PVC Insulated Copper Flexible WireSize 2.5Sqmm Green Colour

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	90	60

### PVC Insulated Copper Flexible CableSize 3 Core X 2.5 Sqmm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	180	60

### Nylon Heavy Duty Cable Tie 200 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	60

### Double Pole MCBC Series 20A DP

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	60

### Single Module 6A Switch

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	8	60

### Single Module 16A Switch

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	7	60

### Double Module 3 Pin 6A Socket

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	8	60

### Double Module 3 Pin 16A Socket

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	7	60

### MS Heavy Duty Concealed 4 Modular Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	60

### PVC 4 Module Plate

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	60

### MS Heavy Duty Concealed 3 Modular Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	15	60

### PVC 3 Module Plate

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	15	60

### MS Heavy Duty Concealed 6 Modular Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	60

### PVC 6 Module Plate

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	60

**PVC Exhaust Ventilation Fan Wall Mounted Window Mounted 230 V ACV 50 Hz Power Rating Range 35 W 60 W Along With Back Shutter Size 12**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	3	60

**LED Down Light Round Shape 18 20 Watt Inner Cut Out Size 6.5 Outer Cut Out Size 7.5 230 V 50Hz Warranty 2 Years**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	60

**LED Ceiling LightSize 2 X 2 600mm X 600mm 36 45 Watt 230 V 50 Hz Warranty 2  
Years Colour Cold White**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	8	60

**Single Phase Wall Mounting Fan 230 V AC 50 Hz Size 400 Mm Power Rating 53 W 58 W  
90 Horizontal Oscillation Via Pull Cord Mechanis M 3 Speed Pull Cord Switch Low  
Medium High**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

## परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	3	60

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.

5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**