



बिड संख्या/Bid Number: GEM/2026/B/7360084

दिनांक /Dated: 16-03-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-04-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-04-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम/Department Name	Department Of Heavy Industry
संगठन का नाम/Organisation Name	National Automotive Board
कार्यालय का नाम/Office Name	National Automotive Board Manesar
कुल मात्रा/Total Quantity	6044

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

COPPER FLEXIBLE WIRE 6SQ MM X 4 CORE , COPPER FLEXIBLE WIRE 4SQ MM X 4 CORE , COPPER FLEXIBLE WIRE 2.5SQ MM X 4 CORE , THIMBLE COPPER RING TYPE 16 MM , THIMBLE COPPER RING TYPE 10 MM , THIMBLE COPPER RING TYPE 4-6 MM , THIMBLE COPPER RING TYPE 35 MM , THIMBLE COPPER RING TYPE 50 MM , THIMBLE COPPER RING TYPE 70 MM , THIMBLE COPPER PIN TYPE 16 MM , THIMBLE COPPER PIN TYPE 10 MM , THIMBLE COPPER PIN TYPE 4-6 MM , THIMBLE COPPER PIN TYPE 35 MM , THIMBLE COPPER PIN TYPE 50 MM , THIMBLE COPPER PIN TYPE 70 MM , THIMBLE ALU. 25 MM , THIMBLE ALU. 35 MM , THIMBLE ALU. 50 MM , THIMBLE ALU. 70 MM , THIMBLE ALU. 95 MM , THIMBLE ALU 120MM , THIMBLE ALU. 150 MM , THIMBLE ALU 185 MM , THIMBLE ALU 240 MM , THIMBLE ALU 300 MM , LED DRIVER 2X2 36 WATT , LED DRIVER 12 WATT , PVC VENTILATION FAN 250 MM , PVC VENTILATION FAN 200 MM , EXHUST FAN 18 inch , EXHUST FAN 24 inch , WALL FAN 400 MM , CELLING FAN 1200 MMM , CAPACITOR 3.15 MFD , CAPACITOR 2.5 MFD , CAPACITOR 4 MFD , CAPACITOR 6 MFD , FAN REGULTOR , LED INDICTOR 22.5 MM RED,YELLOW,GREEN , LED INDICTOR 22.5 MM BLUE , MCB 125 AMP 4 POL , MCB 100 AMP 4 POL , MCB 63 AMP 4 POL , MCB 40 AMP 4 POL , MCB 25 AMP 4 POL , MCB 16 AMP 4 POL , MCB 32 AMP 4 POL , MCB 32 AMP 2 POL , MCB 20 AMP 2 POL , MCB 16 AMP 2 POL , MCB 10 AMP 2 POL , MCB 32 AMP 1 POL , MCB 20 AMP 1 POL , MCB 16 AMP 1 POL , MCB 10 AMP 1 POL , MODULER SOCKET 16 AMP ROMA , MODULER SWITCH 16 AMP ROMA , MODULER PLATE 6M ROMA , MODULER PLATE 4M ROMA , MODULER PLATE 3M ROMA , MODULER PLATE 2M ROMA , MODULER PLATE 1M ROMA , PVC BOX 6 M , PVC BOX 4 M , PVC BOX 3 M , PVC BOX 1-2 M , 16 AMP COMBAIND WITH BOX , INDUSTRIAL SOCKET 63 AMP 5 PIN , INDUSTRIAL PLUG 63 AMP 5 PIN , INDUSTRIAL SOCKET 32 AMP 5 PIN , INDUSTRIAL PLUG 32 AMP 5 PIN , INDUSTRIAL SOCKET 16 AMP 3 PIN , INDUSTRIAL PLUG 16 AMP 3 PIN , 16 AMP SWITCH CRABTREE VERUNA , 16 AMP SOCKET CRABTREE VERUNA , MODULER PLATE 6M CRABTREE VERUNA , MODULER PLATE 4M CRABTREE VERUNA , MODULER PLATE 3M CRABTREE VERUNA , GLASS FUSE 2A,5A,10,16A , 16 AMP 3 PIN TOP , 6 AMP 3 PIN TOP , PVC PIPE 25 MM HEAVY , PVC BEND 25 MM , GI SADDLE 25 MM , PVC CLAMP 25 MM , PVC CLAMP 20 MM , PVC FLEXIBLE PIPE 25 MM GREY , PVC FLEXIBLE PIPE 20 MM GREY , CRC-2-26 , WD40 SPREY , GI FLEXIBLE PIPE 25 MM , GI FLEXIBLE PIPE 20 MM , LINE TESTOR 813 NO , PVC TAPE , DOL Starter 3 hp , DOL Starter 5 hp , DOL Starter 7.5 hp , DOL Starter 10 hp , Star Delta Starter 10 hp , Star Delta Starter 15 hp

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

COPPER FLEXIBLE WIRE 6SQ MM X 4 CORE, COPPER FLEXIBLE WIRE 4SQ MM X 4 CORE, COPPER FLEXIBLE WIRE 2.5SQ MM X 4 CORE, THIMBLE COPPER RING TYPE 16 MM, THIMBLE COPPER RING TYPE 10 MM, THIMBLE COPPER RING TYPE 4-6 MM, THIMBLE COPPER RING TYPE 35 MM, THIMBLE COPPER RING TYPE 50 MM, THIMBLE COPPER RING TYPE 70 MM, THIMBLE COPPER PIN TYPE 16 MM, THIMBLE COPPER PIN TYPE 10 MM, THIMBLE COPPER PIN TYPE 4-6 MM, THIMBLE COPPER PIN TYPE 35 MM, THIMBLE COPPER PIN TYPE 50 MM, THIMBLE COPPER PIN TYPE 70 MM, THIMBLE ALU. 25 MM, THIMBLE ALU. 35 MM, THIMBLE ALU. 50 MM, THIMBLE ALU. 70 MM, THIMBLE ALU. 95 MM, THIMBLE ALU 120MM, THIMBLE ALU. 150 MM, THIMBLE ALU 185 MM, THIMBLE ALU 240 MM, THIMBLE ALU 300 MM, LED DRIVER 2X2 36 WATT, LED DRIVER 12 WATT, PVC VENTILATION FAN 250 MM, PVC VENTILATION FAN 200 MM, EXHUST FAN 18", EXHUST FAN 24", WALL FAN 400 MM, CELLING FAN 1200 MMM, CAPACITOR 3.15 MFD, CAPACITOR 2.5 MFD, CAPACITOR 4 MFD, CAPACITOR 6 MFD, FAN REGULTOR, LED INDICTOR 22.5 MM RED,YELLOW,GREEN, LED INDICTOR 22.5 MM BLUE, MCB 125 AMP 4 POL, MCB 100 AMP 4 POL, MCB 63 AMP 4 POL, MCB 40 AMP 4 POL, MCB 25 AMP 4 POL, MCB 16 AMP 4 POL, MCB 32 AMP 4 POL, MCB 32 AMP 2 POL, MCB 20 AMP 2 POL, MCB 16 AMP 2 POL, MCB 10 AMP 2 POL, MCB 32 AMP 1 POL, MCB 20 AMP 1 POL, MCB 16 AMP 1 POL, MCB 10 AMP 1 POL, MODULER SOCKET 16 AMP ROMA, MODULER SWITCH 16 AMP ROMA, MODULER PLATE 6M ROMA, MODULER PLATE 4M ROMA, MODULER PLATE 3M ROMA, MODULER PLATE 2M ROMA, MODULER PLATE 1M ROMA, PVC BOX 6 M, PVC BOX 4 M, PVC BOX 3 M, PVC BOX 1-2 M, 16 AMP COMBAIND WITH BOX, INDUSTRIAL SOCKET 63 AMP 5 PIN, INDUSTRIAL PLUG 63 AMP 5 PIN, INDUSTRIAL SOCKET 32 AMP 5 PIN, INDUSTRIAL PLUG 32 AMP 5 PIN, INDUSTRIAL SOCKET 16 AMP 3 PIN, INDUSTRIAL PLUG 16 AMP 3 PIN, 16 AMP SWITCH CRABTREE VERUNA, 16 AMP SOCKET CRABTREE VERUNA, MODULER PLATE 6M CRABTREE VERUNA, MODULER PLATE 4M CRABTREE VERUNA, MODULER PLATE 3M CRABTREE VERUNA, GLASS FUSE 2A,5A,10,16A, 16 AMP 3 PIN TOP, 6 AMP 3 PIN TOP, PVC PIPE 25 MM HEAVY, PVC BEND 25 MM, GI SADDLE 25 MM W/O BASE, PVC CLAMP 25 MM, PVC CLAMP 20 MM, PVC FLEXIBLE PIPE 25 MM GREY, PVC FLEXIBLE PIPE 20 MM GREY, CRC-2-26, WD40 SPREY, GI FLEXIBLE PIPE 25 MM, GI FLEXIBLE PIPE 20 MM, LINE TESTOR 813 NO, PVC TAPE, DOL Starter 3 hp, DOL Starter 5 hp, DOL Starter 7.5 hp, DOL Starter 10 hp, Star Delta Starter 10 hp, Star Delta Starter 15 hp

Searched String: COPPER FLEXIBLE WIRE 6SQ MM X 4 CORE

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Wire

विड विवरण / Bid Details

Ropes for General Engineering Purpose (V2) Conforming to IS 2266, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Non Sparking Double Ended Ring Spanner (V2)

Searched String: COPPER FLEXIBLE WIRE 4SQ MM X 4 CORE

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: COPPER FLEXIBLE WIRE 2.5SQ MM X 4 CORE

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: THIMBLE COPPER RING TYPE 16 MM

Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Non Sparking Ring Slugging Spanners (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Wire rope slings and sling legs (V3) conforming to IS 2762

Searched String: THIMBLE COPPER RING TYPE 10 MM

Copper Tube 104.9mm-OFB, PVC Insulated Copper Cable

बिड विवरण / Bid Details

Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical connection

Lugs or thimbles, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Non Sparking Ring Slugging Spanners (V2), Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778

Searched String: THIMBLE COPPER RING TYPE 4-6 MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical connection Lugs or thimbles, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: THIMBLE COPPER RING TYPE 35 MM

Copper Tube 35 mm-OFB, Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Ring Slugging Spanners (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Double Ended Ring Spanner (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Hydraulically Regulated Door Closers conforming to IS 3564, Welding Cable ISI Marked To IS 9857 (V2)

Searched String: THIMBLE COPPER RING TYPE 50 MM

modular electrical enclosure switch board boxes for modular type accessories, Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Retort Ring with Boss Head, Non Sparking Ring Slugging Spanners (V2), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Drawing Pins (V2) as per IS 5205, Check Valve (V2) as per IS 778, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398

Searched String: THIMBLE COPPER RING TYPE 70 MM

Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Ring Slugging Spanners (V2), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Welding Cable ISI Marked To IS 9857 (V2), PVC

बिड विवरण / Bid Details

Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: THIMBLE COPPER PIN TYPE 16 MM

Pin Up Notice Board (V2), Electrical connection Lugs or thimbles, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Drawing Pins (V2) as per IS 5205

Searched String: THIMBLE COPPER PIN TYPE 10 MM

Copper Tube 104.9mm-OFB, Pin Up Notice Board (V2), Electrical connection Lugs or thimbles, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Stapler Pin / Staples (V2)

Searched String: THIMBLE COPPER PIN TYPE 4-6 MM

Pin Up Notice Board (V2), Electrical connection Lugs or thimbles, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

Searched String: THIMBLE COPPER PIN TYPE 35 MM

Copper Tube 35 mm-OFB, Pin Up Notice Board (V2), Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Drawing Pins (V2) as per IS 5205, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Ring Slugging Spanners (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Hydraulically Regulated Door Closers conforming to IS 3564

Searched String: THIMBLE COPPER PIN TYPE 50 MM

Pin Up Notice Board (V2), Padlocks (ताले) conforming To Is

बिड विवरण / Bid Details

15275, modular electrical enclosure switch board boxes for modular type accessories, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Electrical connection Lugs or thimbles, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Drawing Pins (V2) as per IS 5205, Check Valve (V2) as per IS 778, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398

Searched String: THIMBLE COPPER PIN TYPE 70 MM

Pin Up Notice Board (V2), Padlocks (नाले) conforming To Is 15275, Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Drawing Pins (V2) as per IS 5205, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Welding Cable ISI Marked To IS 9857 (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Drawing Pins (V3) as per IS 5205

Searched String: THIMBLE ALU. 25 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Primary Aluminium Ingots for Remelting for General Engineering Purposes Conforming to IS 2590, Micro Fibre Glass Thimble, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Sterile Hypodermic Needles for Single use (V2)

Searched String: THIMBLE ALU. 35 MM

Copper Tube 35 mm-OFB, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mild Steel Sheet, Locking Compression Plates (V2), Hot Rolled Round Steel Bars as per IS 1732, Bone Screw (V2), Elbows Reducing confirming to IS 1239 (Part 2), Wire rope slings and sling legs (V3) conforming to IS 2762, Work Benches, Endotracheal Tube - Sterile (Single Use)

Searched String: THIMBLE ALU. 50 MM

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wrought Aluminium and Aluminium Alloy Bars, Rods, Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Wild - Life Cages, Mild Steel Sheet, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Staplers (V2), Compostable Nursery Bags, Work Benches

Searched String: THIMBLE ALU. 70 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Work Benches, Computer Paper (V3) Conforming to IS 12766 (In Packet), Wire rope slings and sling legs (V3) conforming to IS 2762, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Computer Paper (V3) Conforming to IS 12766, Note Sheet Pad (Azure Laid) (V3), XLPE Cables for

विड विवरण / Bid Details Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Medals

Searched String: THIMBLE ALU. 95 MM

Mild Steel Sheet, Shot Put - Athletics, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wire rope slings and sling legs (V3) conforming to IS 2762, Bed Mattress Conforming to IS 13489 (V3), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Bathroom Water Shower (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Roti Making Machine, Electrical Cable Lugs

Searched String: THIMBLE ALU 120MM

Micro Fibre Glass Thimble, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thimbles For Wire Ropes-IS:2315, Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Dry Erase Writing Boards (V3), Wrought Aluminium and Aluminium alloy Bars, Rods and Sections conforming to IS 733, Alumino - Ferric (V2) Conforming to IS 299, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Pin Up Notice Board (V2)

Searched String: THIMBLE ALU. 150 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Floor Drain Traps (V2), Roti Making Machine, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wire rope slings and sling legs (V3) conforming to IS 2762, scissors, Bathroom Water Shower (V2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Wax Candle as per IS 11359

Searched String: THIMBLE ALU 185 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Wire rope slings and sling legs (V3) conforming to IS 2762, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), scissors, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs

Searched String: THIMBLE ALU 240 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wire rope slings and sling legs (V3) conforming to IS 2762, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Correspondence Envelopes (V3), Electrical Cable Lugs, Electronic Baby Weighing Scale - RBSK, Sanitary Napkins

Searched String: THIMBLE ALU 300 MM

Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Baby

बिड विवरण / Bid Details

Weighing Scale - RBSK, Painter tool kit, Wall Mounting Cabinet, Pin Up Notice Board (V2), Wooden Lab Stools,

Laboratory Desiccator (V2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Wire rope slings and sling legs (V3) conforming to IS 2762

Searched String: LED DRIVER 2X2 36 WATT

7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Bio - Medical Waste Collection Bags (Biohazard Bags), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Flying Insect Control Traps - Fly Catcher, Hand Held Search Light, LED Batten, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

Searched String: LED DRIVER 12 WATT

12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Inspection Lamp, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Hand Held Search Light, LED Batten, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II)

Searched String: PVC VENTILATION FAN 250 MM

Positive Pressure Ventilation Fan Blower, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: PVC VENTILATION FAN 200 MM

Positive Pressure Ventilation Fan Blower, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Bunk

बिड विवरण/Bid Details

Beds as per IS 17636, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Sterile

Hypodermic Needles for Single use (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: EXHUST FAN 18"

Fan Bearing, water baths, Crossfit Fan, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Cleaning Duster (V3), Centrifugal Fan Blower, Tool Kit for Food Processing(Khadya Prasanskaran) Dairy Product- O.D.O.P UP Gov.(Prayagraj), Mist Air Fan, Steel Cloth Lockers (V3), Laparoscopic Fan Retractor

Searched String: EXHUST FAN 24"

Fan Bearing, Cleaning Duster (V3), Crossfit Fan, Fan Blades for Cooling Tower fan Rev 1, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Bio - Medical Waste Collection Bags (Biohazard Bags), Paraquat Dichloride 24% Soluble Liquid(V2), Centrifugal Fan Blower, Layer 2 Access Switch (V2), Mist Air Fan

Searched String: WALL FAN 400 MM

Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Wall Mounting Cabinet, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Bathroom Water Shower (V2), Corrugated Boxes, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Grain Storage Bin (V2), Swing (Preschool Kit), Welder Gloves or Gauntlets as per IS 2573

Searched String: CELLING FAN 1200 MMM

Digital Electronic Spirit Level (Digi level or Digital inclinometer), Convection Heaters - Room Heater, Blower

Searched String: CAPACITOR 3.15 MFD

alpha-Naphthol, Bucket Mop Wringer Trolley, Sodium Lauryl Sulphate-IS 3986, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Multifunction Printer (Print, Scan, Copy), Handpump Sub - Assemblies (Deepwell Hand Pumps Components) as per IS 15500 (Part 3), Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, PNEUMATIC TYRES FOR TWO AND THREE-WHEELED MOTOR VEHICLES, QUADRICYCLES AND E-RICKSHAW/E-CARTS marked to IS 15627, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778

Searched String: CAPACITOR 2.5 MFD

5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 5-Sulfosalicylic acid, Electric Axial Flow Fans (V2) Conforming To IS 3588, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (Ceiling Light)

विड विवरण / Bid Details

Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Electric Ceiling Fan (V4) ISI Marked to IS 374,

Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: CAPACITOR 4 MFD

Capacitor Banks For Use On 11 KV System (PSPCL)), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, 4-Aminoantipyrine, water baths, Methyl 4 Hydroxybenoate (Methylparaben), Cotton Pillow, Interceptor Vehicle (4 Wheeler), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2)

Searched String: CAPACITOR 6 MFD

Capacitor Banks For Use On 11 KV System (PSPCL)), water baths, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Cotton Pillow, 6-Benzylaminopurine, Cat 6 Patch cord, CAT 6 Information outlet, patient care mattresses, 6 - Mercaptopurine Tablets (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2)

Searched String: FAN REGULTOR

Fan Bearing, Crossfit Fan, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Centrifugal Fan Blower, Mist Air Fan, Laparoscopic Fan Retractor, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Electric Ceiling Fan (V4) ISI Marked to IS 374, Fan Blades for Cooling Tower fan Rev 1, Convection Heaters - Room Heater, Blower

Searched String: LED INDICTOR 22.5 MM
RED,YELLOW,GREEN

Category not available on GeM for the text string uploaded by the buyer

Searched String: LED INDICTOR 22.5 MM BLUE

LED Batten, Band Saw Machine, LED Based Indicating Lamp for Panel Cut Outs, Rollerball Pen (V3), Gel Pen (V3), Writing Pens

Searched String: MCB 125 AMP 4 POL

4-Aminoantipyrine, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Electrical Extension Box (V4), Band Saw Machine

Searched String: MCB 100 AMP 4 POL

4-Aminoantipyrine, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Pera nitro Phenol, Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Automatic Fully Mechanised Organic Waste Machine for Compost, Single switch IGBT Module, Modular Toilet, Electrical Extension Box (V4),

विड विवरण / Bid Details
Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1)

Searched String: MCB 63 AMP 4 POL

4-Aminoantipyrine, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Bilirubin, Hydroxynaphthol Blue, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Maltose Monohydrate, Polyethylene Pipes for Water Supply conforming to IS 4984, Polyethylene Containers for The Transport of Materials (V2) as per IS 6312, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: MCB 40 AMP 4 POL

4-Aminoantipyrine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Profenofos 40% + Cypermethrin 4% Emulsifiable Concentrate Conforming To IS 15236 (V2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Electrical Extension Box (V4), Band Saw Machine, Pad Lock Various (As Per Defence Specification), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: MCB 25 AMP 4 POL

4-Aminoantipyrine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sleeping Bag MK 4 (JSS), N-(1-Naphthyl)ethylenediamine, Parallel Bar - Outdoor Gym Equipment, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Automatic Fully Mechanised Organic Waste Machine for Compost

Searched String: MCB 16 AMP 4 POL

Hexaconazole 4%+ Carbendazim 16% SC (Suspension Concentrate), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 4-Aminoantipyrine, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Electrical Extension Box (V4), Polypropylene Spun Bonded Non - Woven Crop Cover Fabric for Agricultural and Horticultural Applications conforming to IS 16718, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Prestressed Concrete Poles for Overhead Power Traction and Telecommunication Lines as per IS 1678

Searched String: MCB 32 AMP 4 POL

4-Aminoantipyrine, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details

Breaker Boards for Voltages Conforming To IS 13032, Video Recorder for CCTV System (V2), Electrical Extension Box (V4), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Band Saw Machine, Circuit Breakers for DC Operation, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), PABX System - EPABX (V2)

Searched String: MCB 32 AMP 2 POL

Polypropylene - Random Copolymer Pipes for Hot and Cold Water Supplies (Version 2) as per IS 15801 (Latest), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Washable Distemper-IS:428, Blood Collection Tube, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Circuit Breakers for DC Operation, Electrical Extension Box (V4), Foldable Umbrellas as per IS 10675, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)

Searched String: MCB 20 AMP 2 POL

Ammonium Sulphate, Bucket Mop Wringer Trolley, Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), Audio Amplifier (V3) (under BIS Scheme - II), Online UPS (V2), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Sleeping Bag MK 4 (JSS), Flying Insect Control Traps - Fly Catcher, Light Weight Sleeping Bag (Improved) - CAPF (V2), Single switch IGBT Module

Searched String: MCB 16 AMP 2 POL

Strontium Carbonate, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), Electrical Extension Box (V4), HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Polypropylene Spun Bonded Non - Woven Crop Cover Fabric for Agricultural and Horticultural Applications conforming to IS 16718

Searched String: MCB 10 AMP 2 POL

Chlorine (CL 2) Detector (V1), Fire Breathing Apparatus SCBA as per IS 10245 (Part 2), Vacuum Filtration Equipment as per IS 10037 (Part 2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), Fire - Resistant Hydraulic Fluids, (Part 2) as per IS 10532, Line Interactive UPS with AVR (V2), Phenol (Carbolic Acid) as per IS 538, Electrical Extension Box (V4), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2)

Searched String: MCB 32 AMP 1 POL

बिड विवरण / Bid Details

Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Washable Distemper-IS:428, Electrical Extension Box (V4), rubber bands, Circuit Breakers for DC Operation, Foldable Umbrellas as per IS 10675, Blood Collection Tube

Searched String: MCB 20 AMP 1 POL

Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Synthetic Life Jacket MK 1 (Defence), Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), Plain Gypsum Plaster Board ISI Marked to IS 2095 (Part 1), Single switch IGBT Module, Audio Amplifier (V3) (under BIS Scheme - II), Stabilized Hydrogen Peroxide (V2) as per IS 2080, Electrical Extension Box (V4), Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: MCB 16 AMP 1 POL

Chloropyriphos 16% + Alphacypermethrin 1% EC (Emulsifiable Concentrate), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Electrical Extension Box (V4), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Screw Drivers as per IS 844, General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1)

Searched String: MCB 10 AMP 1 POL

Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Line Interactive UPS with AVR (V2), Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (V2), Methyl isobutyl ketone, Electrical Extension Box (V4), Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Potato Peeler, Glycerol triacetate

Searched String: MODULER SOCKET 16 AMP ROMA

Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: MODULER SWITCH 16 AMP ROMA

Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular

विड विवरण / Bid Details

Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Layer 2 Access Switch (V2), Residual Current

Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Switching Power Supply for Wireless Application, KVM Switch

Searched String: MODULER PLATE 6M ROMA

Mild Steel Sheet, Laboratory Hot plate, Multiwell plates for tissue culture, modular electrical enclosure switch board boxes for modular type accessories, Commercial Dosa Hot Plate, Chapati Plate with Puffer (V2), Locking Compression Plates (V2), Tress Name Plate, Steel Chequered Plates as per IS 3502 (Unit - Mass), Lat Pull Down (Version 2)

Searched String: MODULER PLATE 4M ROMA

Chapati Plate with Puffer (V2), Non-Locking Bone Plate, modular electrical enclosure switch board boxes for modular type accessories, Locking Compression Plates (V2), Lat Pull Down (Version 2), Commercial Dosa Hot Plate, 4.5mm Broad D.C. Plate with corresponding screws, Ratchet Handle as per IS 7975, Tress Name Plate

Searched String: MODULER PLATE 3M ROMA

Locking Compression Plates (V2), Chapati Plate with Puffer (V2), modular electrical enclosure switch board boxes for modular type accessories, Non-Locking Bone Plate, Disposable Cautery Plate / Pad (V3), Commercial Dosa Hot Plate, Ratchet Handle as per IS 7975, Corrugated Boxes

Searched String: MODULER PLATE 2M ROMA

Locking Compression Plates (V2), Rubberized Weight Plates, modular electrical enclosure switch board boxes for modular type accessories, Non-Locking Bone Plate, Chapati Plate with Puffer (V2), Ratchet Handle as per IS 7975, Commercial Dosa Hot Plate, Deep well plates, 4.5mm Broad D.C. Plate with corresponding screws

Searched String: MODULER PLATE 1M ROMA

Ratchet Handle as per IS 7975, Commercial Dosa Hot Plate, modular electrical enclosure switch board boxes for modular type accessories, Chapati Plate with Puffer (V2), Plate Loaded T-Bar Row Machine, Leaf Plate Making Machine, Relay Module, Granite Surface Plate as per IS 7327, Locking Compression Plates (V2), Deep well plates

Searched String: PVC BOX 6 M

PVC Item (Gujarat Govt), Muffle/Box Furnace (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Inflatable Tent, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Polyurethane Tube (V2), Electrical Extension Box (V4), Screw Drivers as per IS 844, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: PVC BOX 4 M

Metalaxyl-M 4% + Mancozeb 64% WP (Wettable Powder), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

बिड विवरण / Bid Details

IS 694, Plastic Sheet (4 x 50 m) for NDRF, Inflatable Tent, PVC Item (Gujarat Govt), Parallel Bar - Outdoor Gym

Equipment, STM-4 Synchronous Multiplexer as per TEC, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: PVC BOX 3 M

PVC Item (Gujarat Govt), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Mess Tin (Defence), Inflatable Tent, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Ai Sheath, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: PVC BOX 1-2 M

BCAA 2:1:1 Powder, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Item (Gujarat Govt), Pipes for Gardening Purposes (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Isoprothiolane, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1)

Searched String: 16 AMP COMBAIND WITH BOX

Pull Cord Switch with Terminal Box & Lamp, Hopper Tipper Dumper for Garbage, Wrought Aluminium Utensils (V2) as per IS 1660, Electrical Extension Box (V4), KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), High Mast Lighting Tower for large area with LED Flood Lighting System, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Saharanpur Wood Craft - ODOP, Speaker (V3), Corrugated Fibreboard Cartons [for packing Soluble Coffee With 30% Chicory Powder (Polyester pouches) - DEFENCE]

Searched String: INDUSTRIAL SOCKET 63 AMP 5 PIN

Electrical Extension Box (V4), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: INDUSTRIAL PLUG 63 AMP 5 PIN

Category not available on GeM for the text string uploaded by the buyer

Searched String: INDUSTRIAL SOCKET 32 AMP 5 PIN

Electrical Extension Box (V4)

Searched String: INDUSTRIAL PLUG 32 AMP 5 PIN

विड विवरण / Bid Details Category not available on GeM for the text string uploaded by the buyer

Searched String: INDUSTRIAL SOCKET 16 AMP 3 PIN

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Fume Hood (FSSAI), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Plugs (V2) ISI Marked to IS 1293

Searched String: INDUSTRIAL PLUG 16 AMP 3 PIN

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Electrical Plugs (V2) ISI Marked to IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

Searched String: 16 AMP SWITCH CRABTREE VERUNA

Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Layer 2 Access Switch (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Switching Power Supply for Wireless Application, KVM Switch

Searched String: 16 AMP SOCKET CRABTREE VERUNA

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: MODULER PLATE 6M CRABTREE VERUNA

Mild Steel Sheet, Laboratory Hot plate, Multiwell plates for tissue culture, modular electrical enclosure switch board boxes for modular type accessories, Commercial Dosa Hot Plate, Chapati Plate with Puffer (V2), Locking Compression Plates (V2), Tress Name Plate, Steel Chequered Plates as per IS 3502 (Unit - Mass), Lat Pull Down (Version 2)

Searched String: MODULER PLATE 4M CRABTREE VERUNA

Chapati Plate with Puffer (V2), modular electrical enclosure switch board boxes for modular type accessories, Non-Locking Bone Plate, Locking Compression Plates (V2), Lat Pull Down (Version 2), Commercial Dosa Hot Plate, 4.5mm Broad D.C. Plate with corresponding screws, Ratchet Handle as per IS 7975, Tress Name Plate

Searched String: MODULER PLATE 3M CRABTREE VERUNA

Locking Compression Plates (V2), Chapati Plate with Puffer (V2), modular electrical enclosure switch board boxes for modular type accessories, Non-Locking Bone Plate, Disposable Cautery Plate / Pad (V3), Commercial Dosa Hot Plate, Ratchet Handle as per IS 7975, Corrugated Boxes

Searched String: GLASS FUSE 2A,5A,10,16A

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Disinfectant Fluids , Phenolic Type (V3)

बिड विवरण / Bid Details	conforming to IS 1061, Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061, File/Folder (V3), Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Toilet Brush (V2), Muffle Furnace, Laboratory Graduated Cylinders as per IS 878, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854
	<p>Searched String: 16 AMP 3 PIN TOP</p> <p>Multi-Pin electrical top for industrial application, Stainless Steel Shelf Rack, Tactical 3 Point Sling Universal marked to IS 16725, Ceric Ammonium Nitrate, Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Electrical Extension Box (V4), Wrought Aluminium Utensils (V2) as per IS 1660, Lyophilizer, Hair Comb (V2), Surgical Face Masks Conforming to IS 16289</p> <p>Searched String: 6 AMP 3 PIN TOP</p> <p>Multi-Pin electrical top for industrial application, Desk and Bench Set for Classroom/Training Area, Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Electrical Extension Box (V4), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Stainless Steel Shelf Rack, Hair Comb (V2), Flameproof Switch Socket, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293</p> <p>Searched String: PVC PIPE 25 MM HEAVY</p> <p>Heavy Weight Drill Pipe (ONGC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Heavy Duty Pipe Wrench as per IS 4003, Polyethylene Pipes for Water Supply, Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Wild - Life Cages, Pipe Cutter, Pipe Clamps (V2)</p> <p>Searched String: PVC BEND 25 MM</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Floor Drain Traps (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: GI SADDLE 25 MM W/O BASE</p> <p>Parallel Bar - Outdoor Gym Equipment, Markers for White Board (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor</p> <p>Searched String: PVC CLAMP 25 MM</p>

विड विवरण / Bid Details

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flexible Drain Hoses for Wash Basins/ Sinks, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), Pipe Clamps (V2), Floor Drain Traps (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: PVC CLAMP 20 MM

Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Memory Card Reader (V2), Flexible Drain Hoses for Wash Basins/ Sinks, Pipe Clamps (V2), Door With Assembly (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pipes for Gardening Purposes (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: PVC FLEXIBLE PIPE 25 MM GREY

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, Flexible Drain Hoses for Wash Basins/ Sinks, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Swing (Preschool Kit), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458

Searched String: PVC FLEXIBLE PIPE 20 MM GREY

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Swing (Preschool Kit), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flexible Drain Hoses for Wash Basins/ Sinks, Polyethylene Pipes for Water Supply, Commercial UPVC Fittings, Commercial PPR Pipes Fittings as per IS 15801, Black Flexible Rubber Hose Pipe, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

Searched String: CRC-2-26

Tin Ingots conforming to IS 26, Sofa (V3), Tin Ingots as per IS 26, Microscope - Slides (V2) conforming to IS 3099 (Part 2), 2-2-BIPYRIDYL, Laminar air flow cabinets or stations, 2,4-Dinitrophenylhydrazine Reagent Solution, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Silver sulfate, water baths

Searched String: WD40 SPREY

बिड विवरण

Nitrile Coated/Nitrile Hand Gloves (V2), Bio - Medical Waste Collection Bags (Biohazard Bags), Insect Killer, Pole Mounted

Stainless Steel Dustbin (V2), Diesel Power Generator (up to 900 KVA), Recycled Towel, 15w - 40 Diesel Engine Oil, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Cotton Towelling And Towels (V3) Conforming To IS 7056

Searched String: GI FLEXIBLE PIPE 25 MM

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Black Flexible Rubber Hose Pipe, Parallel Bar - Outdoor Gym Equipment, Pipe Vice as per IS 2587, Pipe Clamps (V2), Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Polyethylene Pipes for Water Supply, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: GI FLEXIBLE PIPE 20 MM

Rigid GI Pipe (BHEL), Pipe Clamps (V2), Black Flexible Rubber Hose Pipe, Non Sparking Pipe Wrench (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Wild - Life Cages, Geographic Information System (GIS) Software (V2), Polyethylene Pipes for Water Supply, Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097

Searched String: LINE TESTOR 813 NO

TRR Non Coring Milled Tooth Line Bits (CMPDI), Thermal Gloves as per Defence specification, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Non Linear Junction Evaluator (NLJE) as per MHA QRs, Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL)

Searched String: PVC TAPE

Tape Cartridge / Tape Media, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC gitti, Measuring Tape, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Aluminum Tape, Foam Tape, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Empire Tape, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1)

Searched String: DOL Starter 3 hp

DOL starter, Submersible Pump Starters (Motor starter controls), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Starter Motor Assembly, High End Desktop Computer, Industrial Siren / Electrical Siren, Entry and Mid Level Desktop Computer, Stainless Steel Shelf Rack, Multifunction Printer (Print, Scan, Copy), Tractors (V1)

बिड विवरण / Bid Details	<p>Searched String: DOL Starter 5 hp</p>
	<p>DOL starter, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Submersible Pump Starters (Motor starter controls), Starter Motor Assembly, Industrial Siren / Electrical Siren, FRANCIS TURBINE TEST RIG, High End Desktop Computer, Electric Motorized Treadmill (V3), All in One PC (V2), Bench / Pedestal Grinder (V2)</p> <p>Searched String: DOL Starter 7.5 hp</p> <p>DOL starter, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Electric Motorized Treadmill (V3), GLACIAL ACETIC ACID, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Submersible Pump Starters (Motor starter controls), Diesel Power Generator (up to 900 KVA), Industrial Siren / Electrical Siren, Rubberized Weight Dumbbells, Endotracheal Tube - Sterile (Single Use)</p> <p>Searched String: DOL Starter 10 hp</p> <p>DOL starter, Submersible Pump Starters (Motor starter controls), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Dolomite For Metallurgical (For Steel Industry) And Refractory Use conforming to IS 10346, Tetrahydrofuran HPLC Grade, Industrial Siren / Electrical Siren</p> <p>Searched String: Star Delta Starter 10 hp</p> <p>Star Delta Starter (V2), Submersible Pump Starters (Motor starter controls), DOL starter, Starter Motors for IC Engines, Industrial Siren / Electrical Siren, Starter Motor Assembly, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Starters For Fluorescent Lamps Conforming To IS 2215, Online UPS (V2)</p> <p>Searched String: Star Delta Starter 15 hp</p> <p>Star Delta Starter (V2), Submersible Pump Starters (Motor starter controls), DOL starter, Starter Motors for IC Engines, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Starter Motor Assembly, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Starters For Fluorescent Lamps Conforming To IS 2215, Industrial Siren / Electrical Siren, Fipronil 15% + Deltamethrin 2.5% SC (Suspension Concentrate)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Electrical Cable Lugs
बीओक्यू शीर्षक /BOQ Title	supply of general electrical items
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)

बिड विवरण/Bid Details	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	COPPER FLEXIBLE WIRE 6SQ MM X 4 CORE
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery

acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

COPPER FLEXIBLE WIRE 6SQ MM X 4 CORE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	200	45

COPPER FLEXIBLE WIRE 4SQ MM X 4 CORE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	200	45

COPPER FLEXIBLE WIRE 2.5SQ MM X 4 CORE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 16 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 10 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 4-6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 35 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER RING TYPE 70 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 16 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 10 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 4-6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 35 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE COPPER PIN TYPE 70 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 35 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 70 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 95 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU 120MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU. 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU 185 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU 240 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

THIMBLE ALU 300 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

LED DRIVER 2X2 36 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	200	45

LED DRIVER 12 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

PVC VENTILATION FAN 250 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	6	45

PVC VENTILATION FAN 200 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	6	45

EXHUST FAN 18 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	3	45

EXHUST FAN 24 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	3	45

WALL FAN 400 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	45

CELLING FAN 1200 MMM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

CAPACITOR 3.15 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	45

CAPACITOR 2.5 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	45

CAPACITOR 4 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	45

CAPACITOR 6 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	5	45

FAN REGULTOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

LED INDICTOR 22.5 MM RED,YELLOW,GREEN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	300	45

LED INDICTOR 22.5 MM BLUE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

MCB 125 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

MCB 100 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

MCB 63 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 40 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 25 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 16 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 32 AMP 4 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 32 AMP 2 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 20 AMP 2 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	30	45

MCB 16 AMP 2 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 10 AMP 2 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	30	45

MCB 32 AMP 1 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

MCB 20 AMP 1 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 16 AMP 1 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MCB 10 AMP 1 POL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MODULER SOCKET 16 AMP ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

MODULER SWITCH 16 AMP ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

MODULER PLATE 6M ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	50	45

MODULER PLATE 4M ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MODULER PLATE 3M ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MODULER PLATE 2M ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

MODULER PLATE 1M ROMA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

PVC BOX 6 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	50	45

PVC BOX 4 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	30	45

PVC BOX 3 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

PVC BOX 1-2 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

16 AMP COMBAIND WITH BOX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	50	45

INDUSTRIAL SOCKET 63 AMP 5 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

INDUSTRIAL PLUG 63 AMP 5 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

INDUSTRIAL SOCKET 32 AMP 5 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

INDUSTRIAL PLUG 32 AMP 5 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

INDUSTRIAL SOCKET 16 AMP 3 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

INDUSTRIAL PLUG 16 AMP 3 PIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

16 AMP SWITCH CRABTREE VERUNA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

16 AMP SOCKET CRABTREE VERUNA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

MODULER PLATE 6M CRABTREE VERUNA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MODULER PLATE 4M CRABTREE VERUNA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

MODULER PLATE 3M CRABTREE VERUNA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

GLASS FUSE 2A,5A,10,16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	80	45

16 AMP 3 PIN TOP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	50	45

6 AMP 3 PIN TOP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	50	45

PVC PIPE 25 MM HEAVY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	500	45

PVC BEND 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	100	45

GI SADDLE 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	200	45

PVC CLAMP 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	6	45

PVC CLAMP 20 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	45

PVC FLEXIBLE PIPE 25 MM GREY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	45

PVC FLEXIBLE PIPE 20 MM GREY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	45

CRC-2-26

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

WD40 SPREY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	10	45

GI FLEXIBLE PIPE 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	45

GI FLEXIBLE PIPE 20 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	4	45

LINE TESTOR 813 NO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	20	45

PVC TAPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	480	45

DOL Starter 3 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

DOL Starter 5 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

DOL Starter 7.5 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	2	45

DOL Starter 10 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	45

Star Delta Starter 10 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	45

Star Delta Starter 15 Hp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Girish Chander	122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050	1	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc.

and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---



अंतर्राष्ट्रीय ऑटोमोटिव प्रौद्योगिकी केंद्र
International Centre for Automotive Technology

अतिरिक्त नियम और शर्तें
Additional Terms & Conditions

आईसीएटी सेंटर-II, मानेसर-122051, हरियाणा में सामान्य विद्युत वस्तुओं की आपूर्ति
Supply of General Electrical Items at ICAT Centre-II, Manesar-122051, (Haryana).



अंतर्राष्ट्रीय ऑटोमोटिव प्रौद्योगिकी केंद्र

International Centre for Automotive Technology

प्लॉट नंबर – २६ , सेक्टर – ३ , एचएसआईआईडीसी ऑफिस के पास, आईएमटी मानेसर, गुरुग्राम – १२२०५०

Plot No. - 26, Sector-3, HSIIDC, IMT Manesar, Gurgaon-122050, Haryana, India

Phone: +91-124-4586-111, FAX: +91-124-2290005, Email: purchase@icat.in, Website www.icat.in

विषयसूची
TABLE OF CONTENTS

ATC Index/ अतिरिक्त नियम एवं शर्तों की अनुक्रमणिका		
क्रम संख्या S. No.	विवरण/Particulars	पृष्ठ संख्या Page No.
1.	निविदा सूचना /Tender Notice	3
2.	अध्याय 1 विस्तृत तकनीकी विशिष्टताएँ एवं कार्य का दायरा/Chapter 1 Detailed Technical Specification and Scope of work	4-7
3.	अध्याय 2 एलिजिबिलिटी और टेक्निकल इवैल्यूएशन क्राइटेरिया/Chapter 2 Eligibility & Technical Evaluation Criteria	8-9
4.	अध्याय 3 बोली अस्वीकृति मानदंड/Chapter 3 Bid Rejection Criteria	10
5.	अध्याय 4 बोली मूल्यांकन मानदंड/Chapter 4 Bid Evaluation Criteria	11
6.	अध्याय 5 सामान्य नियम एवं शर्तें Chapter 5 General & Term Conditions	12-16
7.	प्रपत्र - I (चेकलिस्ट)/Form - I (Checklist)	17-18
8.	प्रपत्र - II ब्लैकलिस्टिंग / गैर-डिबारमेंट के संबंध में घोषणा-पत्र/Form - II (Undertaking Regarding Blacklisting/Non-Debarment)	19
9.	प्रपत्र - III (मेक इन इंडिया तथा GFR 2017 के नियम 144 (xi) के अनुपालन के संबंध में घोषणा-पत्र)/Form - III (Declaration Regarding Make in India & Compliance of Rule 144(xi) of GFR 2017)	20
10.	प्रपत्र - IV (हितों के टकराव के संबंध में घोषणा-पत्र)/Form - IV (Declaration in Respect of Conflict Interest)	21-24
11.	प्रपत्र - V (प्रतिज्ञा-पत्र)/Form - V (Undertaking))	25
12.	प्रपत्र - VI (कोई विचलन नहीं होने संबंधी घोषणा-पत्र)/Form - VI (No Deviation Declaration)	26
13.	प्रपत्र - VII (गैर-उपठेका के लिए वचन)/Form - VII (Undertaking for Non-Sub-Contracting)	27

निविदा सूचना/TENDER NOTICE

Subject: Supply of General Electrical Items at ICAT Centre –II, Manesar (Haryana)

Sir/Madam,

The International Centre for Automotive Technology (ICAT) under Ministry of Heavy Industries, Government of India, invites tenders in two bid system from the Bidders in the prescribed proforma for performing, executing and implementing the Works/delivery on the terms and conditions contained in this Tender Document and in the Contract. The brief description of Works and the timelines for tenders are summarized in the table below.

Tender Activity Schedule

1.	Scope of supply	Supply of General Electrical Items at ICAT Centre -II, Manesar (Haryana)
2.	Delivery Period	The delivery of General Electrical Items in all respects must be completed within 45 days of receipt of purchase order/GeM Contract.
3.	Payment Terms	100% Payment after delivery of defect-free material and submission of invoice along with valid e-way bill (Part A & B) at ICAT Site.
4.	Warranty/Guarantee Period	As per Clause 11 Chapter -5 The electrical items supplied under this order must be of a superior quality, brand new, and strictly comply with the specified make. Warranty terms will be as per the manufacturer's specifications (OEM).
5.	Liquidity Damages (LD)	In the event of any delay on part of the Supplier/Contractor to achieve completion of the supply/work within the time lines as specified in the Purchase Order / Works Order the Supplier/Contractor shall be liable to pay to ICAT a sum equal to 0.5% of the Contract Price for every week of delay, or part thereof, subject to the maximum of 10% of the Contract Price, for such default as liquidated damages, which the Supplier/Contractor agrees is not a penalty but a genuine pre-estimate of loss and damage likely to be suffered and incurred by ICAT for every day, or part thereof, that such delay subsists till the date of actual completion. ICAT may, without prejudice to any other method of recovery, deduct the amount of such damages from any monies due or to become due to the Supplier/Contractor.

Bidders must comply with the provision of:

- Rule 144 (xi) of GFR 2017 (refer Office Memorandum of Department of Expenditure dated 23rd July 2020 and as revised from time to time. (<https://doe.gov.in/sites/default/files/OM%20dated%2023.07.2020.pdf>))
- Department of Industrial Policy and Promotion (DIPP) vide no. P-45021/2/2017-PP (BE-II) dated 04.06.2020 and as revised from time to time (<https://dpiit.gov.in/sites/default/files/PPP%20MII%20Order%20dated%204th%20June%202020.pdf>)

अध्याय - 1/Chapter - 1

विस्तृत तकनीकी विशिष्टताएँ एवं कार्य का दायरा/Detailed Technical Specification and Scope of Work

The Director, International Centre for Automotive Technology (ICAT), a division of the National Automotive Board (NAB), under the Ministry of Heavy Industries, Govt. of India, hereby invites proposal for “Supply of General Electrical Items” at ICAT Centre -II, Manesar (Haryana).

Scope of Supply

सामान्य विद्युत सामग्री की तकनीकी विशिष्टताएँ/General Electrical Items Technical Specification:

S. N.	Item Description	Make	QTY	Unit	Quoted make should be mentioned by the bidders
1	COPPER FLEXIBLE WIRE 6 SQMM X 4 CORE	POLYCAB/Havells/RR Kables/Finolex	200	MTR	
2	COPPER FLEXIBLE WIRE 4 SQMM X 4 CORE	POLYCAB/Havells/RR Kables/Finolex	200	MTR	
3	COPPER FLEXIBLE WIRE 2.5 SQMM X 4 CORE	POLYCAB/Havells/RR Kables/Finolex	100	MTR	
4	THIMBLE COPPER RING TYPE 16 MM	MG/HEX/DSA/Standard	100	NOS	
5	THIMBLE COPPER RING TYPE 10 MM	MG/HEX/DSA/Standard	100	NOS	
6	THIMBLE COPPER RING TYPE 4-6 MM	MG/HEX/DSA/Standard	100	NOS	
7	THIMBLE COPPER RING TYPE 35 MM	MG/HEX/DSA/Standard	100	NOS	
8	THIMBLE COPPER RING TYPE 50 MM	MG/HEX/DSA/Standard	100	NOS	
9	THIMBLE COPPER RING TYPE 70 MM	MG/HEX/DSA/Standard	100	NOS	
10	THIMBLE COPPER PIN TYPE 16 MM	MG/HEX/DSA/Standard	100	NOS	
11	THIMBLE COPPER PIN TYPE 10 MM	MG/HEX/DSA/Standard	100	NOS	
12	THIMBLE COPPER PIN TYPE 4-6 MM	MG/HEX/DSA/Standard	100	NOS	
13	THIMBLE COPPER PIN TYPE 35 MM	MG/HEX/DSA/Standard	100	NOS	
14	THIMBLE COPPER PIN TYPE 50 MM	MG/HEX/DSA/Standard	100	NOS	
15	THIMBLE COPPER PIN TYPE 70 MM	MG/HEX/DSA/Standard	100	NOS	
16	THIMBLE ALU. 25 MM	MG/HEX/DSA/Standard	100	NOS	
17	THIMBLE ALU. 35 MM	MG/HEX/DSA/Standard	100	NOS	
18	THIMBLE ALU. 50 MM	MG/HEX/DSA/Standard	100	NOS	
19	THIMBLE ALU. 70 MM	MG/HEX/DSA/Standard	100	NOS	

20	THIMBLE ALU. 95 MM	MG/HEX/DSA/Standard	100	NOS	
21	THIMBLE ALU 120MM	MG/HEX/DSA/Standard	100	NOS	
22	THIMBLE ALU. 150 MM	MG/HEX/DSA/Standard	100	NOS	
23	THIMBLE ALU 185 MM	MG/HEX/DSA/Standard	100	NOS	
24	THIMBLE ALU 240 MM	MG/HEX/DSA/Standard	100	NOS	
25	THIMBLE ALU 300 MM	MG/HEX/DSA/Standard	100	NOS	
26	LED DRIVER 2X2 36 WATT	GOLDMEDAL/Standard	200	NOS	
27	LED DRIVER 12 WATT	GOLDMEDAL/Standard	100	NOS	
28	PVC VENTILATION FAN 250 MM	CG/Havells/Bajaj/Orient	6	NOS	
29	PVC VENTILATION FAN 200 MM	CG/Havells/Bajaj/Orient	6	NOS	
30	EXHUST FAN 18"	CG/Havells/Bajaj/Orient	3	NOS	
31	EXHUST FAN 24"	CG/Havells/Bajaj/Orient	3	NOS	
32	WALL FAN 400 MM	CG/Havells/Bajaj/Orient	5	NOS	
33	CELLING FAN 1200 MMM	CG/Havells/Bajaj/Orient	2	NOS	
34	CAPACITOR 3.15 MFD	TIBCON/Standard	5	NOS	
35	CAPACITOR 2.5 MFD	TIBCON/Standard	5	NOS	
36	CAPACITOR 4 MFD	TIBCON/Standard	5	NOS	
37	CAPACITOR 6 MFD	TIBCON/Standard	5	NOS	
38	FAN REGULTOR	CG/Havells/Bajaj/Orient	10	NOS	
39	LED INDICTOR 22.5 MM RED, YELLOW, GREEN	AIRON/JIGO/Standard	300	NOS	
40	LED INDICTOR 22.5 MM BLUE	AIRON/JIGO/Standard	100	NOS	
41	MCB 125 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	2	NOS	
42	MCB 100 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	2	NOS	
43	MCB 63 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
44	MCB 40 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
45	MCB 25 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
46	MCB 16 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
47	MCB 32 AMP 4 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
48	MCB 32 AMP 2 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
49	MCB 20 AMP 2 POLE	SCHNEIDER/ ABB/L&T/C&S	30	NOS	
50	MCB 16 AMP 2 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
51	MCB 10 AMP 2 POLE	SCHNEIDER/ ABB/L&T/C&S	30	NOS	
52	MCB 32 AMP 1 POLE	SCHNEIDER/ ABB/L&T/C&S	10	NOS	
53	MCB 20 AMP 1 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	

54	MCB 16 AMP 1 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
55	MCB 10 AMP 1 POLE	SCHNEIDER/ ABB/L&T/C&S	20	NOS	
56	MODULER SOCKET 16 AMP	ANCHOR/HAVELLS/GOLDMED AL/ SCHNEIDER	100	NOS	
57	MODULER SWITCH 16 AMP	ANCHOR/HAVELLS/GOLDMED AL/ SCHNEIDER	100	NOS	
58	MODULER PLATE 6M	ANCHOR/HAVELLS/GOLDMED AL /SCHNEIDER	50	NOS	
59	MODULER PLATE 4M	ANCHOR/HAVELLS/GOLDMED AL/SCHNEIDER	20	NOS	
60	MODULER PLATE 3M	ANCHOR/HAVELLS/GOLDMED AL/SCHNEIDER	20	NOS	
61	MODULER PLATE 2M	ANCHOR/HAVELLS/GOLDMED AL/SCHNEIDER	10	NOS	
62	MODULER PLATE 1M	ANCHOR/HAVELLS/GOLDMED AL/SCHNEIDER	10	NOS	
63	PVC BOX 6 M	Standard	50	NOS	
64	PVC BOX 4 M	Standard	30	NOS	
65	PVC BOX 3 M	Standard	20	NOS	
66	PVC BOX 1-2 M	Standard	10	NOS	
67	16 AMP COMBINED WITH BOX	ANCHOR/HAVELLS/GOLDMED AL/SCHNEIDER	50	NOS	
68	INDUSTRIAL SOCKET 63 AMP 5 PIN	JIGO/Standard	10	NOS	
69	INDUSTRIAL PLUG 63 AMP 5 PIN	JIGO/Standard	10	NOS	
70	INDUSTRIAL SOCKET 32 AMP 5 PIN	JIGO/Standard	10	NOS	
71	INDUSTRIAL PLUG 32 AMP 5 PIN	JIGO/Standard	10	NOS	
72	INDUSTRIAL SOCKET 16 AMP 3 PIN	JIGO/Standard	10	NOS	
73	INDUSTRIAL PLUG 16 AMP 3 PIN	JIGO/Standard	10	NOS	
74	16 AMP SWITCH CRABTREE VERUNA	HAVELLS	100	NOS	
75	16 AMP SOCKET CRABTREE VERUNA	HAVELLS	100	NOS	
76	MODULER PLATE 6M CRABTREE VERUNA	HAVELLS	20	NOS	
77	MODULER PLATE 4M CRABTREE VERUNA	HAVELLS	20	NOS	
78	MODULER PLATE 3M CRABTREE VERUNA	HAVELLS	10	NOS	
79	GLASS FUSE 2A,5A,10,16A	Standard	80	NOS	
80	16 AMP 3 PIN TOP	ANCHOR/HAVELLS/Standard	50	NOS	
81	6 AMP 3 PIN TOP	ANCHOR/HAVELLS/Standard	50	NOS	
82	PVC PIPE 25 MM HEAVY	ASTRAL/FINOLEX/Standard	500	NOS	
83	PVC BEND 25 MM	ASTRAL/FINOLEX/Standard	100	NOS	
84	GI SADDLE 25 MM W/O BASE	Standard	200	NOS	

85	PVC CLAMP 25 MM	JIGO/Standard	6	PKT	
86	PVC CLAMP 20 MM	JIGO/Standard	4	PKT	
87	PVC FLEXIBLE PIPE 25 MM GREY	TEKSON/Standard	4	ROLL	
88	PVC FLEXIBLE PIPE 20 MM GREY	TEKSON/Standard	4	ROLL	
89	CRC-2-26	Standard	10	NOS	
90	WD-40 SPREY	Standard	10	NOS	
91	GI FLEXIBLE PIPE 25 MM	Standard	4	ROLL	
92	GI FLEXIBLE PIPE 20 MM	Standard	4	ROLL	
93	Line Tester	Taparia/VENUS/Stanley	20	NOS	
94	PVC TAPE	Anchor/Steel grip/3M Standard	480	NOS	
95	DOL Starter 3 hp	Siemens/Havells/Crompton/L&T /C&S	2	Nos.	
96	DOL Starter 5 hp	Siemens/Havells/Crompton/L&T /C&S	2	Nos.	
97	DOL Starter 7.5 hp	Siemens/Havells/Crompton/L&T /C&S	2	Nos.	
98	DOL Starter 10 hp	Siemens/Havells/Crompton/L&T /C&S	1	Nos.	
99	Star Delta Starter 10 hp	Siemens/Havells/Crompton/L&T /C&S	1	Nos.	
100	Star Delta Starter 15 hp	Siemens/Havells/Crompton/L&T /C&S	1	Nos.	

अन्य तकनीकी शर्तें/Other Technical Conditions:

- Bidders are requested to quote for all the items without fail, or else their offer will be rejected.
- The products quoted are not “**end of life or end of sale products**” as on bid submission date. If in case the support for the product quoted has been stopped/withdrawn till time of warranty period of Electrical Items, the same will be changed with the superior product at no extra cost. The bidder should quote the products strictly as per the tender specifications. Complete technical details along with brand, specification, technical literature etc. highlighting the specifications must be supplied along with the technical bid. A Statement of Compliance shall be given against each item in the prescribed format given in Technical Specification. The compliance statements should be supported by authentic documents. Each page of the bid and cutting/corrections shall be duly signed and stamped by the authorized signatory. Failure to comply with this requirement may result in the bid being rejected.
- **Guarantee/Warranty Period:** The electrical items supplied under this order must be of a superior quality, brand new, and strictly comply with the specified make. Warranty terms will be as per the manufacturer's specifications (OEM).

For any technical queries please feel free to contact:

Contact Person: Mr. Nitin Kumar Chauhan PE C2

Department Contact No.: +91-7835920227 (Mobile)

Email ID: nitin.chauhan@icat.in

पात्रता एवं तकनीकी मूल्यांकन मानदंड/Eligibility & Technical Evaluation Criteria

Eligibility Criteria: Following mentions the pre-qualification/eligibility criteria. A bidder participating in the procurement process shall possess the following minimum pre-qualification/eligibility criteria. Any bid failing to meet the stated criteria shall be summarily rejected and will not be considered for Technical Evaluation.

बोलीदाताओं की न्यूनतम पात्रता मानदंड/Minimum Eligibility Criteria of the Bidders:

1. **Legal Valid Entity:** The bidder shall necessarily be a legal valid entity in the form of Proprietary Firm, Partnership Firm, Private Limited Company/ agency (**enclose a copy of registration / incorporation certificate with technical bid**).

In support of above, the bidder is required to submit the following documents with the technical bid:

- **Proprietary Firm:** A copy of the registration certificate or any relevant document that proves the establishment and legal validity of the proprietary firm.
- **Partnership Firm:** A copy of the Partnership Deed along with the registration certificate issued by the Registrar of Firms, if applicable.
- **Private Limited Company:** A copy of the Certificate of Incorporation issued by the Registrar of Companies (RoC) along with the Memorandum of Association (MOA) and Articles of Association (AOA).
- **Agency:** A copy of the registration certificate or any official document proving the legal validity and registration of the agency under the applicable law (e.g., registration under the Shops and Establishments Act, or other relevant legislation).

2. Bidder must have PAN & GST (enclose a copy of PAN & GST with technical bid).
3. **The bidder should have successfully supplied in Electrical Material** of minimum value ₹ 2 lakh each to at least three (03) different clients during the last three (03) years in Central/State Government Departments, PSUs, Autonomous Bodies, or reputed private firms in India (Please attach copies of Purchase Orders).
4. Bidders must mention full technical specifications of the offered items in their technical bid. Offers without brand name or deviating from the brand specified in the tender will be rejected.
5. The Bidder's should have an average annual turnover of **INR 15 Lakhs** in last three consecutive financial years (**FY 2022-23, 2023-24 & 24-25**). The tenderers shall submit Certificates to this effect which may be an attested certificate from the concerned department/client or Audited Balance Sheet duly certified by the Chartered Accountant/Certificate from Chartered Accountant duly supported by Audited Balance Sheet. The contact details of CA/Statutory Auditor along with UDIN No. shall be mandatorily mentioned on copy of certified Balance Sheet/Certificate

6. **Submission of ATC (Additional Terms & Conditions) Document:** Bidders shall mandatorily submit the duly filled, signed, and complete ATC (Additional Terms & Conditions) document, along with all chapter, declarations, and forms enclosed therein, as part of their bid. Failure to submit a properly completed ATC document shall render the bid non-responsive and subject to outright rejection.
7. Bidders should not have been blacklisted by any Departments/Ministries of the Govt. of India or of any State Government, PSU, or Any Reputed Private Organization/Institution in India during the last 3 years. A declaration must be submitted to this effect with the Tender Document.
8. It is a mandatory requirement that bidders submit comprehensive proposals covering all items listed in the tender. Any incomplete bid, including failure to quote for any item or component, shall be treated as non-compliant. Such bids shall be rejected without further correspondence, and the bidder shall be disqualified from the evaluation process.
9. Bidder should be India-based.

Bidders to Comply with:

- Rule 144(xi) of GFR 2017 regarding restrictions on procurement from a bidder of a country that shares a land border with India will be liable to rejection (refer to the to the Office Memorandum of the Department of Expenditure dated July 23, 2020, and as revised from time to time at. (https://assetsbg.gem.gov.in/resources/upload/shared_doc/Order-Public-Procurement-No-4-restrictionsunder-Rule-144-xi-of-the-General-Financial-Rules-GFRs-2017.pdf))
- Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-PP (BEII) dated 04.06.2020 and as revised from time to time regarding bidders' eligibility and preference to make in India (<https://dpiit.gov.in/sites/default/files/PPP%20MII%20Order%20dated%204th%20June%202020.pdf>)).
- ICAT reserves the right to give preference to the local supplier, MSME, or start-up as per prevailing government notifications and as revised from time to time.
- MSE Public Procurement Policy is meant for the procurement of only goods produced and services rendered by MSEs. However, traders, distributors, sole agents, and works contracts are excluded from the purview of the Public Procurement Policy for MSEs Order, 2012.
- It is clarified that prior turnover and prior experience may be relaxed for start-up enterprises recognized by the Department for Industry & Internal Trade (DPIIT), subject to meeting quality & technical specifications. Startups may be MSMEs or otherwise. Such relaxation can be provided in the case of procurement of work as well. It is further clarified that such relaxation is not optional but normally has to be ensured, except in case of procurement of items related to public safety, health, critical security operations and equipment, etc) where adequate justification exists for the Procuring Entity not to relax such criteria. The decision of the Procuring Entity in this regard shall be final.

बोली अस्वीकृति मानदंड/Bid Rejection Criteria

Bidders are required to adhere strictly to all terms, conditions, and eligibility requirements outlined in this tender document. Failure to comply with any of the following conditions shall render the bid liable for rejection at any stage of the evaluation process, at the sole discretion of the Purchaser

Bid Rejection Criteria:

- ***Failure to Meet Financial Turnover Requirement:*** Bidders have not had an average turnover of INR 15 lakhs in the last three consecutive financial years. Bidders are required to submit a CA-audited balance sheet, or any other relevant certificate certified by CA indicating the turnover for the last 3 consecutive financial years (FY 2022-23, 2023-24, and 2024-25).
- ***Non-Submission of Statutory Registrations:*** Bidders must submit valid copies of their Goods and Services Tax (GST) registration and Permanent Account Number (PAN). Failure to do so shall lead to disqualification.
- ***Conditional Bids or Deviations:*** Any bid containing deviations, exceptions, conditions, or assumptions from the tender terms and conditions shall be treated as non-responsive and summarily rejected
- ***Incomplete Bid Submission:*** It is a mandatory requirement that bidders submit comprehensive proposals covering all items listed in the tender. Any incomplete bid, including failure to quote for any item or component, shall be treated as non-compliant. Such bids shall be rejected without further correspondence, and the bidder shall be disqualified from the evaluation process.
- ***IP Address duplication on e-procurement portal:*** The online (e-procurement) portal tracks and displays the IP addresses used by Buyers and Bidders/Sellers. Bids submitted from identical or shared IP addresses across different bidders/sellers shall be considered suspicious and will be automatically disqualified from further evaluation.
- Additionally, ICAT could reject any Bid not fulfilling the essential parameters listed in the technical conditions of contract, should the supplier fail in justifying that the proposed solution is equivalent or better than the requested performance.
- ***Non-Compliance with Minimum Eligibility Criteria:*** Not Compliance with Minimum Eligibility Criteria: Failure to meet or demonstrate conformance to the “**Pre-Qualification / Minimum Eligibility Criteria**” as specified in the tender document will result in outright rejection of the bid.

बोली मूल्यांकन मानदंड/Bid Evaluation Criteria

Bid Evaluation:

- The bidder shall comply with the Pre-qualification/Minimum Eligibility Criteria mentioned in “Chapter 1 & Chapter -2”
- Bidders who qualify in the “Pre-qualification/Minimum Eligibility Criteria” are only eligible for technical bid evaluation.

तकनीकी निविदा मूल्यांकन मापदंड/Technical Bid Evaluation Parameters

- ICAT shall follow segregated bid submission evaluation system. The minimum pass mark in technical bid shall be **80 Points (80%) out of 100 Points**. Bidders, who get cut-off marks, will be qualified for next part of evaluation i.e. financial part.
- The technical bids shall be awarded point based on the following evaluation criteria.

वस्तु/Item	विस्तृत विवरण /Detail Description	भारंक/ Parameter Weightage
तकनीकी क्षमता Technical Capability	Compliance to Technical Specifications as Specified in the “Chapter 1” of the Bid Document	40
बोलीदाता का पिछला अनुभव/Bidder's Past Experience	Supply of electrical materials each valued at least ₹2 lakh during the last three years 3 Order (Minimum) - 25 marks > 3 up to 5 Orders - 30 marks More than 5 Orders - 40 marks	40
वित्तीय क्षमता/Financial Capability	Average Annual Turnover of 15 lakh in the past 3 FY: 2022-23, 2023-24 & 2024-25 15 Lakhs (Minimum) - 15 marks >15 Lakhs up to 30 Lakhs - 17 marks >30 Lakhs - 20 marks	20
Grand Total		100
Qualified (Yes/No)		

In Case of any technical query, you are feeling free to contact:

Contact Person: Mr. Nitin Kumar Chauhan PE C2

Department Contact No.: +91-7835920227 (Mobile)

Email ID: nitin.chauhan@icat.in

1. **Scope of Work:** Supply of General Electrical Items to Address Critical Utility Complaints on Daily Basis at ICAT Centre -II, Manesar (Haryana) (As per scope of work defined in Chapter - 1).
2. **Delivery Period:** The delivery of General Electrical Items in all respects must be completed within **45 days** of the receipt of purchase order/GeM Contract.
3. **Billing Address:** International Centre for Automotive Technology, Plot No. 26, Sector - 3, Near HSIIDC, IMT Manesar, Gurugram 122051, GST No. 06AABAN9435G2ZI.
4. **Delivery Address:** International Centre for Automotive Technology, Plot No. 1, Sector - M11, Near Maruti Suzuki India Ltd Gate 4, IMT Manesar, Gurugram 122051.
5. **Sub-contract:** The supplier shall not assign in whole or in part the obligations to perform under the contract, except with ICAT prior written consent. The supplier shall obtain the consent of ICAT in writing of all subcontracts (if any) to be awarded under the contract which is not already specified, in his bid. Such notification, in his original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
6. **Offer Validity:** Offers should be valid for a minimum of One Hundred Eighty (180) Days from the date of opening the Technical Bid. A bid, valid for a shorter period, is liable to be rejected. ICAT may ask the bidders to extend the period of validity, if required.
7. ICAT reserves the right to modify and amend any of the conditions/criterion depending upon project priorities and need.
8. **Price:** The prices are to be quoted in INR in figures only. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected.
9. **Product Specification & Compliance Statement:** The bidder should quote the products strictly as per the tender specifications. Complete technical details along with brand, specification, technical literature etc. highlighting the specifications must be supplied along with the technical bid. A Statement of Compliance shall be given against each item in the prescribed format given in Technical Specification. The compliance statements should be supported by authentic documents. Each page of the bid and cutting/corrections shall be duly signed and stamped by the authorized signatory. Failure to comply with this requirement may result in the bid being rejected.
10. **Delivery Terms:** FOR ICAT Project Site (Packing, Forwarding, Loading, Transportation, Insurance and Unloading of material Up to ICAT Project Site in Bidder Scope).
11. **Warranty/Guarantee Period**
 - The Electrical Items should be guaranteed as per OEM Standard of operation, pre-mature failure, if any shall be suitable compensated by replacement/repair of Electrical Items on site basis.
 - **Quality and Compliance:** The supplier shall ensure that all items supplied are new, free from defects or faults in materials, workmanship, and manufacture, and conform to the highest standards of quality. The equipment shall meet the established and generally accepted industry standards for the materials used and shall perform in full compliance with the specifications provided in the tender.
 - **Defective Goods and Supplier's Obligation:** Should it be necessary for the supplier to replace or renew any defective goods under this clause, the replacement shall be carried out within 48 hours. In case of failure to do so, the purchaser reserves the right to obtain such repairs or replacements

from another supplier at the supplier's risk and expense, without prejudice to any other rights the purchaser may have under the contract.

- **Replacement under Warranty:** Any replacement under the warranty provisions shall be carried out by the supplier at no additional cost to the purchaser, including all charges for freight, insurance, and any other incidental expenses associated with the replacement at the site.

12. Termination of Contract: If the performance of the vendor is not satisfactory in timely delivery of item or quality of product delivered then the same will be informed in writing by ICAT as warning letter and if in spite of issue of warning letter, the items are not delivered or quality of delivered product is not satisfactory as per expectation of ICAT within a fortnight then second warning letter will be issued.

If after issue of second warning letter also performance doesn't satisfy ICAT expectations, then ICAT reserves the right to terminate the work order by giving one-month notice in writing without assigning any further reason whatsoever.

After the contract becomes null and void the amount deemed payable to the vendor (if any) will die without any further payment. No further claim from the vendor will be entertained. After the contract comes to an end the vendor will withdraw their service/equipment/spares from ICAT premises within a month.

Decision of competent authority of ICAT regarding determining the performance will be final.

13. Confidential Information: ICAT and Selected Bidder shall keep confidential and not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of contract.

14. Any Dispute/Difference arising out of or relating to this tender: Matter regarding any dispute shall be referred for arbitration to any office appointed by the Director of ICAT, whose decision shall be binding and final. Even after arbitration if any questions, disputes and/or differences arise under and out of, or in connection with the work, if concluded, shall be referred to the High Court of Haryana or any other court in the District of Gurugram (Haryana)The tender document is not an offer and is issued with no commitment. ICAT reserves the right to withdraw this notice inviting tender or vary any part thereof at any stage. ICAT further reserves the right to disqualify any bidder, should it be so necessary at any stage. ICAT reserves the right to reject any or all the tenders, wholly or partly without assigning any reason thereof and shall not be bound to accept the lowest tender.

15. Force Majeure: Force Majeure is herein defined as any cause, which is beyond control of the selected Bidder or the ICAT as the case may be which they could not foresee, or this a reasonable amount of diligence could not have foreseen, and which substantially affect the performance of the Contract, such as:

Natural phenomena, including but not limited to floods, droughts, earthquakes, epidemics; Acts of any Government, including but not limited to war, declared or undeclared, priorities, quarantines, embargoes; Terrorist attacks, public unrest in work are Restriction, Freight Embargo; provided either party shall within ten (10) days from the occurrence of such a cause notify the other in writing of such causes. The Bidder or the ICAT shall not be liable for delay in performing his/her obligations resulting from any Force Majeure cause as referred to and/or defined above.

16. Compliance with Technical Specifications and Bid Documentation: Bidders must submit quotations strictly in accordance with the specifications and brand makes listed in the tender document. Each

product quoted must fully comply with the technical requirements. A duly filled and signed Statement of Compliance (in the prescribed format) for each item must accompany the bid. All images of the bid, including any corrections, overwriting, or alterations, shall be initialed and stamped by the authorized signatory of the bidder. Failure to meet any of the above documentation or specification requirements may result in summary rejection of the bid at the sole discretion of ICAT.

17. **Submission of complete bid:** Bidders are required to quote for all items listed in the tender. Partial or incomplete bids shall be summarily rejected and not considered for evaluation.
18. **Partial Deliveries:** Partial deliveries will be accepted only with prior written approval from ICAT. Each partial delivery must conform to all documentation and quality standards. Payment for such deliveries shall be made only after inspection and acceptance by ICAT. Approval of partial delivery shall not waive the supplier's obligation to complete full delivery as per the contract. LD will apply on any portion delayed beyond the approved timeline.
19. **Product Lifecycle Compliance:** All products offered must be current production items and must not be classified as "End-of-sale" (EOS) or "End-of-life" (EOL) as of the bid submission date. If the OEM discontinues support for any quoted item prior to delivery, the bidder shall provide, at no additional cost to ICAT, an upgraded or equivalent product that meets or exceeds the tender specifications.
21. **Payment Terms:** 100% Payment after delivery of defect-free material and submission of invoice along with valid e-way bill (Part A & B) at ICAT Site.
Submission of Following Documents to ICAT:
 - Original Tax Invoice
 - Original Challan
 - E-Way Bill (Both Part A & B)
 - Consignee LR Copy
 - Warranty Guarantee Certificate as per OEM Standard.
 - Test Certificates as per OEM standard
22. **Packing Instructions:** Supplier should supply the materials with proper packing and making for transit so as to be received at the destination without any loss or damage to the materials.
23. **Insurance and Risk Responsibility:** The supplier shall ensure that all goods are fully insured during transit and shall bear full responsibility for any loss, damage, or defect until final delivery and acceptance by ICAT. In case of loss or damage, the supplier must replace the items at no additional cost to ICAT. ICAT reserves the right to reject any consignment, in whole or in part, not meeting specification at any stage of inspection.
24. The comparison of the bids shall be based on total price (Inclusive of all taxes etc) quoted by the bidder. No comparison of individual items will be made, and the individual item charge is only for reference purposes of this office.
25. **System of Award of Contract:** The bidder who satisfies the qualification criteria and offers lowest (L1) would be selected
26. **Quantity variation clause:** The quantities mentioned in the tender are indicative and subject to variation. ICAT reserve the right to increase or decrease the quantity of any items as per its operational requirements during the contract period.

27. **Rate Escalation:** No escalation in rates will be entertained on any ground during the entire contract period. Any such request will lead to disqualification or termination of the contract. Additionally, no financial assistance, subsidy or compensation shall be provided beyond the quoted rates.
28. **Liquidity damage clause:** In the event of any delay on part of the Supplier/Contractor to achieve completion of the supply/work within the time lines as specified in the Purchase Order / Works Order the Supplier/Contractor shall be liable to pay to ICAT a sum equal to 0.5% of the Contract Price for every week of delay, or part thereof, subject to the maximum of 10% of the Contract Price, for such default as liquidated damages, which the Supplier/Contractor agrees is not a penalty but a genuine pre-estimate of loss and damage likely to be suffered and incurred by ICAT for every day, or part thereof, that such delay subsists till the date of actual completion. ICAT may, without prejudice to any other method of recovery, deduct the amount of such damages from any monies due or to become due to the Supplier/Contractor.
29. Any bidder, who meets the Minimum Eligibility Criteria and wishes to quote against this Tender Document, may download the complete Tender Document along with its amendment(s) if any from GeM Portal and submit their Bid complete in all respect as per terms & conditions of Tender Document on or before the Bid due date & time.
30. **Unsatisfactory Performance:** The bidder herein agree that ICAT shall have sole and discretionary right to assess the performance(s) of the Bidder equipment(s), either primary and or final, and ICAT, without any liability whatsoever, wither direct or indirect, may reject the system(s) / equipment(s) provided by the Bidder, in part or in its entirety, without any explanation to the Bidder, either during the pre and or post-test period should the same be unsatisfactory and not to the acceptance of ICAT. The Bidder covenants to be bound by the decision of ICAT without any demur in such an eventuality.
31. **The tender document is not an offer and is issued with no commitment.** ICAT reserves the right to withdraw this notice inviting tender or vary any part thereof at any stage. ICAT further reserves the right to disqualify any bidder, should it be so necessary at any stage. ICAT reserves the right to reject any or all the tenders, wholly or partly without assigning any reason thereof and shall not be bound to accept the lowest tender.
32. **Law of the Republic of India are applicable to this tender.**
33. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
34. **Relaxation in Prior Turnover and Experience:** The condition of prior turnover and prior experience may be relaxed for start-up enterprises recognized by the Department for Industry & Internal Trade (DPIIT), subject to meeting quality & technical specifications. Startups may be MSMEs or otherwise. Such relaxation can be provided in the case of procurement of works as well. It is further clarified that such relaxation is not optional but normally has to be ensured, except in case of procurement of items related to public safety, health, critical security operations and equipment, etc) where adequate justification exists for the Procuring Entity not to relax such criteria. The decision of the Procuring Entity in this regard shall be final.

35. Preference to Make in India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than INR 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

प्रपत्र - "I"/Form "I"

चेकलिस्ट/Checklist (Information/Documents to be submitted along with the Bid)

1	Name of the Bidder	
2	Address of the Bidder	
3	Contact Details of the Bidder	
	Telephone No. With STD Code	
	Fax No.	
	Mobile No.	
	E-mail ID	
	Website, if any	
4	Name of Proprietor/Partners/Directors of Firm/Agency	
5	Bidder Bank Details:	
	Name of Account Holder	
	Complete A/c No. (Current/Savings)	
	Name of Bank	
	Name of the Branch with Complete Address	
	IFS Code of the Branch	
	9 Digit MICR Code of the Branch	
6	Registration and Incorporation Particulars of the bidder indicating legal status such as Company, partnership/proprietorship concern, etc. (Please attached copies of the relevant documents/certificates)	
7	GST Registration Details	
8	Copies of Permanent Income Tax Number (PAN)/Income Tax Circle	
9	Copies of Income Tax Returns Filed for the Last Three Financial Years should be attached	
10	Annual Turnover for the Last	

	<p>Three Years (Audited A/c Statements such as Profit & Loss A/c, Balance Sheets, etc. for the last three financial years should be attached)</p>	
11	<p>Proof of experience in supplying to State/Government Departments/PSUs/Autonomous Bodies/Reputed Private Institutions (Copies of Purchase Orders received from Central/State Departments/Ministries of the Government of India/PSUs/Autonomous Bodies/Reputed Private Institutions during the last three years should be enclosed).</p>	
12	<p>Declaration regarding blacklisting or otherwise by the government departments as given in "Form II"</p>	
13	<p>The ATC (Additional Terms and Conditions document (all pages) duly signed and stamped as proof of having read the contents therein and in acceptance thereof should be enclosed</p>	
14	<p>Any other information document: Please specify</p>	

प्रपत्र - "II"/Form "II"

ब्लैकलिस्टिंग / गैर-डिबारमेंट के संबंध में घोषणा-पत्र/Undertaking Regarding Blacklisting/Non-Debarment

(Format of Undertaking, to be furnished in Company Letter Head With Regard to Blacklisting/Non-Debarment, By Organization)

To,
Director ICAT,
International Centre for Automotive Technology Plot
No. 26, Sector - 3, Near HSIIDC Office
IMT Manesar, Gurugram 122051 (Haryana - India)

We here by confirm and declare that we, M/s ----- is not blacklisted/De-registered/debarred by any Government department/ Public Sector Undertaking/ Private Sector/ or any other agency for which we have executed/undertaken the works/services during the last 3 Years.

For.....

Authorized Signatory Date:

प्रपत्र - "III"/Form "III"

2017 के नियम 144 (xi) के अनुपालन के संबंध में घोषणा-पत्र
Declaration Regarding Make in India & Compliance of Rule 144 (xi) of GFR 2017

The Bidder is requested to provide the following declarations on their letter duly signed and stamped.

* 1. Declaration regarding Make in India (MII)

In line with Government Public Procurement Order No. _____ dt _____, we hereby certify that we M/s _____ (supplier name) are local supplier meeting the requirement of minimum local content (_____%) as defined in above orders against Tender/Enquiry No. _____

Details of the location at which local value addition will be made is as follows:

* 2. Declaration regarding compliance of Rule 144 (xi) of GFR 2017

"I/We have read the clause regarding restrictions on procurement/sub-contracting from an entity/natural person/agent/consortium/Joint venture having beneficial ownership in countries which share land border with India. I/We certify that neither are we from such a country nor having any beneficial ownership from such a country. If I/We from such a country or having beneficial ownership, are registered with the competent authority. I/We hereby certify that we fulfill all requirements in this regard and are eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]

Authorized Signatory

"We also understand, false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules and would be a ground for immediate termination and further legal action in accordance with law

प्रपत्र - "IV"/Form "IV"

हितों के टकराव के संबंध में घोषणा-पत्र / Declaration In Respect of Conflict of Interest

Tender No. ICAT/GeM/Maint-2/Supply of Electrical Items/2025-26/495

Tender Detail: Supply of Electrical Items at ICAT Centre - 2, Manesar (Haryana).

S. N.	Particulars		
1	Name of Firm		
2	Office Address Phone No. Fax No. Email ID		
3	Works Address as per Vendor Registration Phone No. Fax No. Email ID		
4	Type of Firm Private Limited Company / Public Limited Company / Limited Liability Partnership (LLP) / Partnership Firm / Proprietor Firm (Tick whichever is applicable)		
5	CIN / LLPIN of Firm		
6	GST No. of Firm		
7	Names of all Directors/LLP Partners/ Partners / Proprietors of Bidder Firm with DIN (if any) and full address (as on the bid submission date)		
	Full Name	DIN	Full Residential Address

The details of Legal Representative / Agent of the Bidder Firm are as under:

Full Name of Legal Representative / Agent	
Whether employee of Bidder-Firm or not? (Yes/No)	
Designation	
Office Address	
Office Land-Line Nos.	
Mobile No.	
Email ID	
Whether acting as Legal Representative / Agent in any other Private Limited Company or Public Limited Company or Limited Liability Partnership (LLP) or Partnership Firm or Proprietor Firm? If yes, give names.	

WE HEREBY DECLARE AND CONFIRM THAT no bid has been submitted for the quoted item by any other Private Limited Company or Public Limited Company or Limited Liability

Partnership (LLP) or Partnership Firm or Proprietor Firm in which any relative of any Director or Partner or Proprietor of Bidder Firm is a Director, Partner or Proprietor. The word “relative” is defined as under:

The Companies Act, 2013 Sec 2(77) “relative”, with reference to any person, means anyone who is related to another, if –

- (1) they are members of a Hindu Undivided Family.
- (2) they are husband and wife; or
- (3) A person shall be deemed to be the relative of another, if he or she is related to another in the following manner, namely: -
 - a. Father including stepfather,
 - b. Mother including step-mother,
 - c. Son including step-son,
 - d. Son’s wife,
 - e. Daughter,
 - f. Daughter’s husband,
 - g. Brother including step-brother,
 - h. Sister including step-sister.

WE FURTHER DECLARE THAT we have carefully read and understood the clause relating to ‘Conflict of Interest’ of Tender No. ICAT/GeM/Maint-2/Supply of Electrical Items/2025-26/495 The detailed Clause is as under:

A bidder shall not have conflict of interest with other bidders for particular quoted item. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity’s interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process for particular quoted item, if:

- a) they have proprietor/ partner(s)/ Director(s) in common; or
- b) they receive or have received any direct or indirect subsidy/ financial stake from any of them; or
- c) they have the same legal representative/ agent for purposes of this bid; or
- d) they have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder; or
- e) Bidder participates in more than one bid in this bidding process. Participation by a bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/ sub-assembly/ assemblies from one bidding manufacturer in more than one bid.
- f) in cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in

a particular tender enquiry. One manufacturer can also authorize only one agent/ dealer. There can be only one bid from the following:

1. The principal manufacturer directly or through one Indian agent on his behalf; and
 2. Indian/ foreign agent on behalf of only one principal.
- g)* a Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid;
- h)* In case of a holding company having more than one independently manufacturing units or more than one unit having common business ownership / management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/ common business/ management units in same/ similar line of business.
- i)* Bidder shall not act in contravention/ violation to the provisions of competition act, as amended from time to time.

We hereby certify that our Firm M/s. _____ do not have any conflict of interest with other bidders for this tender.

We hereby declare and confirm that the above information and particulars are true and correct.

For (Firm Name)

Signature of Director/Partner/Proprietor/ Authorized Signatory Authorized Signatory Name:
Place:

Date:

Stamp / Seal of Firm

प्रपत्र - "V"/Form "V"
प्रतिज्ञा-पत्र/Undertaking

This is to certify that we have carefully gone through the scope of work, job requirement, terms and conditions given in the tender documents & have clearly understood the terms and conditions of the tender and have accordingly quoted our best rates after going through all details. We hereby given an undertaking that we shall the material & services in accordance with your GeM Bid No. ICAT/GeM/Maint-2/Supply of Electrical Items/2025-26/495 as per the requirement during the period of contract.

Dated:

Place:

(Signature of the bidder with seal/rubber stamp)

प्रपत्र - "VI"/Form "VI"

कोई विचलन नहीं होने संबंधी घोषणा-पत्र /No Deviation Declaration

Date: _____

To,
The Purchase Office,
International Centre for Automotive Technology
Plot No. 26, Sector - 3, Near HSIIDC, IMT Manesar, Gurgaon 122050 (Haryana)

Sub: No Deviation Declaration

Dear Sir/ Madam,

This is to certify that, the product (s) quoted items by our firm M/s.....
..... is as per the given technical specifications in the
tender
document & there is no deviation in relation to any conditions / requirements specified in
the tender document. It is also to declare that all other commercial clauses stipulated in
the tender have been carefully seen. I hereby convey the unconditional acceptance of the
same.

Signature of Authorized Signatory with Stamp

For M/s _____

Signature & company seal

Name Designation

Email Mobile No

प्रपत्र "VII"/Form "VII"

गैर-उपठेका के लिए वचन/Undertaking For Non-Subcontracting
(To be submitted Original on Bidder Letter Head)

To,

The Purchase Office,
International Centre for Automotive Technology
Plot No. 26, Sector - 3, Near HSIIDC, IMT Manesar, Gurgaon 122050 (Haryana)

Sub: Undertaking for non-subcontracting

Dear Sir/Ma'am,

I/We, [Bidder/Seller's Name], hereby undertake not to subcontract any aspect of the contract, including the supply and installation, without obtaining prior written consent from the buyer. We understand that failure to seek approval for subcontracting may result in disqualification from the bidding process.

Date: _____

Signature of Authorized Signatory: _____

Name and Designation: _____

Seal: _____